



US00D478045S

(12) **United States Design Patent**  
**Liang**

(10) **Patent No.:** **US D478,045 S**

(45) **Date of Patent:** **\*\* Aug. 5, 2003**

(54) **ELECTRIC COUPLER FOR BATTERIES**

(76) **Inventor:** **Shih Tsung Liang**, P.O. Box 10-69,  
Chong Ho, Taipei (TW), 235

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/169,353**

(22) **Filed:** **Oct. 16, 2002**

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/119**

(58) **Field of Search** ..... D13/119, 120,  
D13/156; 439/521, 522; 429/65, 121; 174/138 F

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,712,823	A	*	5/1929	Hebbeler	.....	439/522	X
1,931,949	A	*	10/1933	Lockyer	.....	439/522	
2,800,522	A	*	7/1957	Coleman et al.	.....	174/138	F X
3,721,947	A	*	3/1973	Robin	.....	439/522	
D304,440	S	*	11/1989	Drake	.....	D13/120	
D316,398	S	*	4/1991	Hill	.....	D13/120	

5,021,305	A	*	6/1991	Turner	.....	439/522	X
D335,647	S	*	5/1993	Hood	.....	D13/119	
5,439,759	A	*	8/1995	Lippert et al.	.....	439/521	X
5,902,695	A	*	5/1999	Siedlik et al.	.....	439/522	X
6,426,465	B1	*	7/2002	Kosuge	.....	174/138	F

\* cited by examiner

*Primary Examiner*—Joel Sincavage


(57) **CLAIM**

The ornamental design for an electric coupler for batteries, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an electric coupler for batteries showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side view thereof; and, FIG. 7 is a right side elevational view thereof.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 7




FIG. 4 FIG. 5