



US00D478309S

(12) **United States Design Patent**
Nagahara et al.

(10) **Patent No.:** **US D478,309 S**

(45) **Date of Patent:** **** Aug. 12, 2003**

(54) **POWER SUPPLY APPARATUS**

(75) Inventors: **Kuniaki Nagahara**, Toyama (JP);
Tatsuya Mano, Toyama (JP);
Katsuhiko Koizumi, Toyama (JP);
Toshihisa Miura, Toyama (JP)

(73) Assignee: **Cosel Co., Ltd.**, Toyama (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/120,294**

(22) Filed: **Mar. 17, 2000**

(30) **Foreign Application Priority Data**

Mar. 6, 2000 (JP) 2000-004667

(51) **LOC (7) Cl.** **13-01**

(52) **U.S. Cl.** **D13/110**

(58) **Field of Search** D13/110; 307/50;
361/836, 704, 720

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,853,828 A * 8/1989 Penn 361/717

5,016,139 A * 5/1991 Stopa et al. 361/720
5,297,025 A * 3/1994 Shoquist et al. 361/704
5,550,853 A * 8/1996 Ostler 372/34
5,680,294 A * 10/1997 Stora et al. 361/695

* cited by examiner

Primary Examiner—Holly Baynham

(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack,
L.L.P.

(57) **CLAIM**

The ornamental design for a power supply apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a power supply apparatus in accordance with the present design;
FIG. 2 is a front view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

