

US00D478459S

(12) United States Design Patent (10) Patent No.:

US D478,459 S ** Aug. 19, 2003 Houle (45) Date of Patent:

TRIM COMPACT DISC RACK

André Paul Houle, 49 McKinstry Ave., Inventor:

Chicopee, MA (US) 01013

14 Years Term:

Appl. No.: 29/173,697

Jan. 3, 2003 Filed:

LOC (7) Cl. 06-04

U.S. Cl. **D6/630**; D6/311 (52)

(58)D6/449, 310–312; 206/308.1, 309; 211/40, 42, 43, 41.12; 248/454, 456, 441.1, 463, 473; 312/9.1, 9.9, 9.11, 9.16, 9.46, 9.47,

9.51, 9.54, 9.64, 9.53

(56)**References Cited**

U.S. PATENT DOCUMENTS

D247,694	S	*	4/1978	Mueh et al
D260,208	S	*	8/1981	Nutting D6/468
5,105,952	A	*	4/1992	Krattiger 211/40
5,284,256	A	*	2/1994	Correll-Antoun 211/42
D356,454	S	*	3/1995	Harris D6/407
D362,132	\mathbf{S}	*	9/1995	Ratliff D6/419
D413,754	\mathbf{S}	*	9/1999	Houle
D425,748	\mathbf{S}	*	5/2000	Houle

^{*} cited by examiner

Primary Examiner—Cathron C. Brooks

(57)**CLAIM**

The ornamental design for the trim compact disc rack, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the trim compact disc rack showing my new design;

FIG. 2 is a rear elevational view thereof with the leg shown in the open position;

FIG. 3 is a rear elevational view thereof with the leg shown in the closed position;

FIG. 4 is the left side elevation thereof with the leg shown in the open position, the right side being a mirror image thereof;

FIG. 5 is the left side elevation thereof with the leg shown in the closed position, the right side being a mirror image thereof;

FIG. 6 is the top plan view thereof with the leg in the open position;

FIG. 7 is the bottom plan view thereof with the leg in the closed position;

FIG. 8 is the bottom/rear perspective view thereof with the leg in the open position;

FIG. 9 in the left/rear perspective view thereof with the leg in the closed position.

FIG. 10 is a front elevational view of an alternative embodiment thereof;

FIG. 11 is a rear elevational view thereof with the leg shown in the open position;

FIG. 12 is a rear elevational view thereof with the leg shown in the closed position;

FIG. 13 is the left side elevation thereof with the leg shown in the open position, the right side being a mirror image thereof;

FIG. 14 is the left side elevation thereof with the leg shown in the closed position, the right side being a mirror image thereof;

FIG. 15 is the top plan view thereof with the leg in the open position;


FIG. 16 is the bottom plan view thereof with the leg in the closed position;

FIG. 17 is the bottom/rear perspective view thereof with the leg in the open position; and,

FIG. 18 in the left/rear perspective view thereof with the leg in the closed position.

The trim compact disc rack is characterized by 3 thin lipped shelves on an engled front, and a planarly trimmed back containing an extendible leg.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

Aug. 19, 2003




Fig. 7





Fig. 8



US D478,459 S

Fig. 9




Fig. 10




Fig. 11






Fig. 12




Aug. 19, 2003

Fig. 14 Fig. 13

Fig. 15





US D478,459 S

Fig. 17

Aug. 19, 2003




Fig.18

