



US00D478476S

(12) **United States Design Patent**
Wellner

(10) **Patent No.:** **US D478,476 S**

(45) **Date of Patent:** **** Aug. 19, 2003**

(54) **PLATE**

(75) **Inventor:** **Lucie L. Wellner**, Pompey, NY (US)

(73) **Assignee:** **Syracuse China Company**, Syracuse, NY (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/157,327**

(22) **Filed:** **Mar. 13, 2002**

(51) **LOC (7) Cl.** **07-01**

(52) **U.S. Cl.** **D7/584**

(58) **Field of Search** D7/584, 585, 586, D7/587, 588, 682, 373, 679; 220/574, 575

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D33,217 S 9/1900 Chevrier
- D50,401 S 2/1917 Miller
- D54,899 S 4/1920 Churchill
- D75,939 S * 7/1928 Tennhardt 220/574
- D82,887 S 12/1930 Heisey
- 1,960,407 A 5/1934 Bothe
- D94,245 S * 1/1935 Sebring et al. D7/584
- 2,050,206 A 8/1936 Chaplain
- D102,362 S 12/1936 Friedman et al.
- D115,524 S 7/1939 Randall
- D119,279 S 3/1940 May
- D133,532 S 8/1942 Karstadt
- D160,860 S 11/1950 Heisey
- D161,752 S 1/1951 Hart
- 2,795,942 A 6/1957 Harris

- D184,651 S 3/1959 Woofter et al.
- D197,295 S 1/1964 Filipowski
- D204,996 S 6/1966 Lepoix
- D214,678 S 7/1969 Weeber
- D217,632 S 5/1970 Bouchet
- D219,748 S 1/1971 Bixler
- D243,056 S 1/1977 Andersson
- D303,196 S 9/1989 Unger
- D364,998 S 12/1995 Held
- D370,598 S 6/1996 Koch
- D402,854 S 12/1998 Benson
- D428,770 S 8/2000 Wellner

FOREIGN PATENT DOCUMENTS

GB 1055624 * 12/1988

* cited by examiner

Primary Examiner—Charles A. Rademaker
(74) *Attorney, Agent, or Firm*—Emch, Schaffer, Schaub & Porcello Co., L.P.A.


(57) **CLAIM**


The ornamental design for a plate, as shown and described.

DESCRIPTION


FIG. 1 is a top view of a plate according to the present design;
FIG. 2 is a bottom view thereof;
FIG. 3 is a first side elevational view thereof;
FIG. 4 is a second side elevational view thereof; and,
FIG. 5 is a third side elevational view thereof.

1 Claim, 5 Drawing Sheets






— FIG. 1



—FIG. 2



— FIG. 3



—FIG. 4



—FIG.5