

### (12) United States Design Patent (10) Patent No.: US D478,711 S Cowgill et al. (45) Date of Patent: \*\* Aug. 26, 2003

#### (54) NOVELTY HAT AND MEGAPHONE

- (75) Inventors: John H. Cowgill, Lincoln City, OR
   (US); Charles W. Elroy, Jr., Depoe
   Bay, OR (US)
- (73) Assignee: Sportniks, Inc., Neotsu, OR (US)
- (\*\*) Term: 14 Years

D215,622	S	≉	10/1969	Alaska D16/135
D250,497	S	≉	12/1978	Rocheleau et al D2/875
D277,139	S	≉	1/1985	DeFalco D2/880
D351,272	S	≉	10/1994	Hyer D2/869
D393,739	S	≉	4/1998	Dudson et al D2/889
D402,090	S	*	12/1998	Turocy D2/889
6,282,721	<b>B</b> 1	≉	9/2001	Travalgia 2/171
D456,595	S	≉	5/2002	Cowgill et al D2/889

\* cited by examiner

- (21) Appl. No.: 29/173,412
- (22) Filed: Dec. 28, 2002

#### **Related U.S. Application Data**

- (63) Continuation of application No. 09/995,078, filed on Nov.
  26, 2001, and a continuation-in-part of application No.
  29/138,100, filed on Mar. 6, 2001, now Pat. No. Des.
  456,595.
- (60) Provisional application No. 60/256,447, filed on Dec. 18, 2000.
- (51) LOC (7) Cl. ..... 02-03
- (52) U.S. Cl. ..... D2/889
- (58) **Field of Search** ...... D2/865, 875, 869, D2/867, 889, 880; 2/171, 181, 195.1, 209.3, 195.7, 209.11; D16/135; 181/178, 180
- (56) **References Cited**

U.S. PATENT DOCUMENTS

3,450,226 A \* 6/1969 Kessler ..... 181/180

Primary Examiner—Paula A. Mortimer (74) Attorney, Agent, or Firm—Marger Johnson & McCollom, P.C.

### (57) **CLAIM**

The ornamental design for a novelty hat and megaphone, as shown.

#### DESCRIPTION

FIG. 1 is a front perspective view of a hat showing my new design with the human head shown in dotted lines being for illustration only;

FIG. 2 is a bottom perspective view showing the overall round shape of the hat; and,

FIG. 3 is a top view showing the hole on the top of the hat.

The broken lines are for illustrative purposes only and forms no part of the claimed design.

#### 1 Claim, 3 Drawing Sheets



### U.S. Patent Aug. 26, 2003 Sheet 1 of 3 US D478,711 S







### U.S. Patent Aug. 26, 2003 Sheet 2 of 3 US D478,711 S



## FIG. 2

### U.S. Patent Aug. 26, 2003 Sheet 3 of 3 US D478,711 S



# FIG. 3