

US00D478802S

(12) United States Design Patent (10) Patent No.: **Jones**

(45) Date of Patent:

US D478,802 S

** Aug. 26, 2003

X BRACE (54)

(58)

Gary Jones, Mt. Aukum, CA (US) Inventor:

Rack-It Truck Racks, Shingle Springs,

CA (US)

14 Years Term:

Appl. No.: 29/172,187

(22) Filed: Dec. 9, 2002

(51)

U.S. Cl. D8/354 (52)

> D8/366, 373, 380; D12/223, 406, 412, 414; D25/62; 52/712, 714; 224/42, 32, 402, 405, 523, 525, 528; 248/188.91, 200,

> > 201, 214, 227.4, 300, 309.1, 351, 352,

503, 913; 296/3; 403/403

References Cited (56)

U.S. PATENT DOCUMENTS

3,796,410	A	*	3/1974	Konstant
4,600,232	A	*	7/1986	Phillips
4,676,543	A	*	6/1987	Lewis
D322,132	\mathbf{S}	*	12/1991	Eickhoff
D341,074	\mathbf{S}	*	11/1993	Wagner
D436,915	\mathbf{S}	*	1/2001	Burger D12/406
6,513,778	B2	*	2/2003	Hefley et al 248/351

* cited by examiner

Primary Examiner—Doris V. Coles Assistant Examiner—Elizabeth A. Albert (74) Attorney, Agent, or Firm—Mark C. Jacobs

CLAIM (57)

The ornamental design for X brace, as shown and described.

DESCRIPTION

FIG. 1 is a right side front perspective view of the X brace of this design.

FIG. 2 is a top plan view thereof, the bottom view being a mirror image thereof.

FIG. 3 is a left side elevational view of the X brace of this design.

FIG. 4 is a front elevational view of the X brace of this design.


FIG. 5 is a right side elevational view thereof.

FIG. 6 is a left side front perspective view of the X brace of this design within its operational environment for the connection of two parallel pipe members, the mating brace being shown in dashed lines; and,

FIG. 7 is a rear elevational view of the X brace of this design in its operational environment with its mate being shown in dashed lines.

The threaded bolts and nuts shown in dashed lines form no part of the claimed design.

1 Claim, 2 Drawing Sheets



Aug. 26, 2003

