



US00D478874S

(12) **United States Design Patent** (10) **Patent No.:** **US D478,874 S**
Moll et al. (45) **Date of Patent:** **** Aug. 26, 2003**

(54) **PORTIONS OF A FOOT OPERATED ELECTRICAL CONTROL**

5,793,016 A 8/1998 Colling et al. 219/132
6,326,592 B1 12/2001 Colling 219/132
6,420,680 B1 7/2002 Samodell 219/132

(76) Inventors: **James E. Moll**, 7454 Rockingham Rd., Mentor, OH (US) 44060; **Brent A. Moll**, 7454 Rockingham Rd., Mentor, OH (US) 44060

OTHER PUBLICATIONS

Germany Patent 2104401 Dated Aug. 1972.
USSR Patent 610200 Dated Jun. 1978.
Miller Electric Mfg. Co., Entitled "Remote Controls," 2-Page Brochure Appleton, WI 54914 Dated Mar. 2000.

(**) Term: **14 Years**

Primary Examiner—Ted Shooman
Assistant Examiner—Selina Sikder
(74) *Attorney, Agent, or Firm*—David A. Burge

(21) Appl. No.: **29/175,611**

(22) Filed: **Feb. 6, 2003**

Related U.S. Application Data

(57) **CLAIM**

(62) Division of application No. 29/159,958, filed on May 1, 2002.

We claim the ornamental design for portions of a foot operated electrical control, as shown and described.

(51) **LOC (7) Cl.** **13-03**

DESCRIPTION

(52) **U.S. Cl.** **D13/167**

(58) **Field of Search** D13/167; D15/70, D15/72; D24/179; 74/512, 560, 561; 219/132; 297/71, 330; 200/52 R, 61.09, 61.89, 86.5; 307/119; 338/153; 440/7

Reference is made to utility application Ser. No. 10/136,202 filed May 1, 2002 by James E. Moll and Brent A. Moll, entitled Foot Operated Electrical Control, the disclosure of which is incorporated herein by reference.

(56) **References Cited**



U.S. PATENT DOCUMENTS

2,308,199 A	1/1943	Mullenbach	201/48
2,349,891 A	5/1944	Tyrner	201/55
2,379,774 A	7/1945	Wyer	201/48
2,383,725 A	8/1945	Landis et al.	171/229
2,798,209 A	7/1957	Gordon	336/117
2,836,691 A	5/1958	Girolano et al.	201/117
2,893,284 A	7/1959	Washington, Jr.	84/422
2,985,031 A	5/1961	Bennett	74/512
2,986,953 A	6/1961	Armond et al.	74/478
3,103,905 A	9/1963	Althens et al.	112/219
3,402,341 A	9/1968	Cook	322/16
D246,649 S	12/1977	Braaten	D13/167
4,322,711 A	3/1982	Spangler et al.	338/153
D264,848 S	6/1982	Hanyu	D13/167
D271,106 S	10/1983	Hanyu	D15/72
D342,720 S	12/1993	Phleps et al.	D13/167
5,535,642 A	7/1996	Moll	74/561

FIG. 1 is a perspective view showing front, top and right end portions of a first embodiment of our new design; FIG. 2 is a front side elevational view thereof; FIG. 3 is a rear side elevational view thereof; FIG. 4 is a right end elevational view thereof; FIG. 5 is a left end elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a perspective view showing front, top and right end portions of a second embodiment of our new design; FIG. 9 is a front side elevational view thereof; FIG. 10 is a rear side elevational view thereof; FIG. 11 is a right end elevational view thereof; FIG. 12 is a left end elevational view thereof; FIG. 13 is a top plan view thereof; and, FIG. 14 is a bottom view thereof.

The broken line showing of the environment is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14