



US00D478930S

(12) **United States Design Patent** (10) **Patent No.:** **US D478,930 S**
Zambelli et al. (45) **Date of Patent:** **** Aug. 26, 2003**

(54) **HAND STAMP AND STORAGE CAP**

(75) Inventors: **Michael P. Zambelli**, Basking Ridge, NJ (US); **Frederick W. Dour**, Basking Ridge, NJ (US); **Steven J. Sculler**, Morganville, NJ (US); **Anthony D. MacNeil**, Piscataway, NJ (US); **Walter W. Stefanski**, Berkeley Heights, NJ (US)

(73) Assignee: **M&R Marking Systems, Inc.**, Piscataway, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/168,194**

(22) Filed: **Sep. 27, 2002**

(51) **LOC (7) Cl.** **19-02**

(52) **U.S. Cl.** **D18/15**

(58) **Field of Search** D18/14, 15, 16-18;
 101/125, 327, 333, 334, 368, 371, 379,
 405; 118/264, 268

(56) **References Cited**

U.S. PATENT DOCUMENTS

672,226 A	*	4/1901	Dorticus et al.	101/406
D145,514 S		9/1946	Duke	
3,158,094 A		11/1964	Crowell et al.	
D209,874 S		1/1968	Anderson	
3,364,856 A		1/1968	Lind	
D214,534 S		6/1969	Anderson et al.	
D231,028 S		3/1974	Funahashi	
D233,174 S		10/1974	Funahashi	
3,885,495 A		5/1975	Funahashi	
D236,752 S		9/1975	Funahashi	
3,948,173 A		4/1976	Barasch	
4,035,090 A		7/1977	Bavaveas	
4,054,093 A		10/1977	Funahashi	
D280,643 S		9/1985	Ichikawa	
D280,644 S		9/1985	Ichikawa	
D280,910 S		10/1985	Fujikura	
D284,014 S		5/1986	Iwasaki et al.	

4,996,921 A		3/1991	Hong	
5,014,617 A		5/1991	Lesyk	
D323,527 S	*	1/1992	Weir et al.	D18/15
D324,062 S		2/1992	Bengtsson	

(List continued on next page.)

OTHER PUBLICATIONS

M&R Marking Systems Catalog, 2002.
 Colop Brochure, 2001.
 Trodat Brochure, 2001.
 Trodat Catalog, 2001/2002.
 Millennium Marking Company Catalog, Sep. 3, 2001.

Primary Examiner—Charles A. Rademaker
 (74) *Attorney, Agent, or Firm*—Lerner, David, Littenberg, Krumholz & Mentlik, LLP


(57) **CLAIM**

The ornamental design for hand stamp and storage cap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the subject hand stamp and storage cap in a locked position; FIG. 2 is a front plan view thereof; FIG. 3 is a right side view thereof (the left side view being a mirror image of the right side view) thereof; FIG. 4 is a rear view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is bottom plan view thereof; FIG. 7 is a perspective view of the subject hand stamp and storage cap in an unlocked position; FIG. 8 is a front plan view of the unlocked hand stamp and storage cap shown in FIG. 7; FIG. 9 is a right side view (the left side being a mirror image of the right side view) of the unlocked hand stamp and storage cap shown in FIG. 7; and, FIG. 10 is a rear view of the unlocked hand stamp and storage cap shown in FIG. 7.

1 Claim, 5 Drawing Sheets



US D478,930 S

Page 2

U.S. PATENT DOCUMENTS

5,111,745 A	5/1992	Wilson			
5,123,349 A	6/1992	Beaver et al.			
D341,387 S	11/1993	Koneval			
5,483,880 A *	1/1996	Seo et al.	101/125		
5,577,444 A	11/1996	Toyama			
D378,597 S *	3/1997	Harden	D18/14		
D379,367 S	5/1997	Harden			
D379,368 S	5/1997	Harden			
5,694,844 A *	12/1997	Taira	101/125		
D399,245 S	10/1998	Harden			
5,826,515 A	10/1998	Frable et al.			
D413,619 S	9/1999	Franks et al.			
D422,017 S	3/2000	Harden			
D426,569 S	6/2000	Franks et al.			
D441,009 S	4/2001	Hayashi			
D446,805 S *	8/2001	Suto	D18/15		
6,302,022 B1	10/2001	Shih			
D451,945 S *	12/2001	MacNeil et al.	D18/15		
D452,261 S *	12/2001	Hayashi	D18/15		
D452,262 S *	12/2001	MacNeil et al.	D18/15		

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

