



US00D478990S

(12) **United States Design Patent**  
**Kroll**

(10) **Patent No.:** **US D478,990 S**

(45) **Date of Patent:** **\*\* Aug. 26, 2003**

(54) **PACEMAKER**

(76) Inventor: **Lori C. Kroll**, 493 Sinaloa Rd., Simi Valley, CA (US) 93065

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/175,806**

(22) Filed: **Feb. 10, 2003**

(51) **LOC (7) Cl.** ..... **24-04**

(52) **U.S. Cl.** ..... **D24/167**

(58) **Field of Search** ..... D24/167; 607/4, 607/5, 9, 30

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 4,041,956 A \* 8/1977 Purdy et al. .... 607/36
- D269,205 S \* 5/1983 Langer et al. .... D24/167
- D280,930 S \* 10/1985 Speicher et al. .... D24/167
- D316,145 S \* 4/1991 Ware ..... D24/167
- 5,144,946 A \* 9/1992 Weinberg et al. .... 607/2

D337,820 S \* 7/1993 Hooper et al. .... D24/167

D338,731 S \* 8/1993 Byland et al. .... D24/167

D343,901 S \* 2/1994 Anderson ..... D24/167

\* cited by examiner

*Primary Examiner*—Stella Reid

(57) **CLAIM**

The ornamental design for a pacemaker, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of a pacemaker showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a front perspective view thereof; and,

FIG. 8 is a rear perspective view thereof.

**1 Claim, 8 Drawing Sheets**






Fig. 1




Fig. 2



Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8