



US00D479011S

(12) **United States Design Patent**
Churchill

(10) **Patent No.:** **US D479,011 S**

(45) **Date of Patent:** **** Aug. 26, 2003**

(54) **HEADLIGHT**

(75) **Inventor:** **Stephen John Churchill, Essex (GB)**

(73) **Assignee:** **New Holland UK Limited, Essex (GB)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/154,404**

(22) **Filed:** **Jan. 21, 2002**

(30) **Foreign Application Priority Data**

Jul. 19, 2001	(GB)	2103302
Jul. 19, 2001	(GB)	2103303
Jul. 19, 2001	(GB)	2103304
Jul. 19, 2001	(GB)	2103305

(51) **LOC (7) Cl.** **26-04**

(52) **U.S. Cl.** **D26/28**

(58) **Field of Search** D26/28-36, 139;
362/61, 80, 81, 82, 83, 83.4, 267, 269,
275, 330, 337

(56) **References Cited**

U.S. PATENT DOCUMENTS

D293,938 S * 1/1988 Soma D26/28

D295,899 S	*	5/1988	Ienaga et al.	D26/28
D321,944 S	*	11/1991	Malmgren et al.	D26/28
D388,200 S	*	12/1997	Tomforde et al.	D26/28

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—John Smith-Hill; Smith-Hill and Bedell

(57) **CLAIM**

The new and ornamental design for a headlight, as shown and described.

DESCRIPTION


FIG. 1 is a front elevation of a headlight showing a first embodiment of my new design,

FIG. 2 is a front elevation of a right headlight showing a second embodiment of my new design,

FIG. 3 is a front elevation of a left headlight showing a third embodiment of my new design; and,

FIG. 4 is a view taken from the front and left side thereof, installed in a tractor, with the broken line showing for illustrative purposes only and forming no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG.3




FIG.2




FIG.1

FIG.4

