



US00D479544S

(12)

United States Design Patent
Raab et al.

(10)

Patent No.: US D479,544 S

(45)

Date of Patent: ** Sep. 9, 2003

(54)

PORTABLE COORDINATE MEASUREMENT MACHINE

(75)

Inventors: **Simon Raab**, Maitland, FL (US); **Seyed Ali Sajedi**, Winter Park, FL (US); **Marc Barber**, Deltona, FL (US); **Kenneth J. Hasloeher**, Deltona, FL (US)

(73)

Assignee: **Faro Technolgoies, Inc.**, Lake Mary, FL (US)

(**)

Term: **14 Years**

(21)

Appl. No.: **29/166,332**

(22)

Filed: **Aug. 26, 2002**

Related U.S. Application Data

(63)

Continuation-in-part of application No. 29/155,790, filed on Feb. 14, 2002.

(51)

LOC (7) Cl. **15-99**

(52)

U.S. Cl. **D15/199; D10/63**

(58)

Field of Search D15/199; 700/262, 700/195, 80; 702/190; 33/503-505; 74/409.02, 479, 490.02; 414/744.5, 744.2; 318/560

References Cited

U.S. PATENT DOCUMENTS

D344,279	S	2/1994	Koyama et al.	
D377,932	S	2/1997	Schena et al.	
5,807,449	A	9/1998	Hooker et al.	
D410,477	S	6/1999	Nihei et al.	
D423,534	S	4/2000	Raab et al.	
D444,488	S	* 7/2001	Selic et al.	D15/199
6,366,831	B1	4/2002	Raab	
D461,484	S	* 8/2002	Kraft	D15/199

* cited by examiner

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Cantor Colburn LLP

(57)

CLAIM

The ornamental design for a portable coordinate measurement machine, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of our new portable coordinate measurement machine;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a front perspective view of a second embodiment of our new portable coordinate measurement machine;
FIG. 9 is a front view thereof;
FIG. 10 is a rear view thereof;
FIG. 11 is a left side view thereof;
FIG. 12 is a right side view thereof;
FIG. 13 is a top view thereof;
FIG. 14 is a bottom view thereof;
FIG. 15 is a front perspective view of a third embodiment of our new portable coordinate measurement machine;
FIG. 16 is a front view thereof;
FIG. 17 is a rear view thereof;
FIG. 18 is a left side view thereof;
FIG. 19 is a right side view thereof;
FIG. 20 is a top view thereof;
FIG. 21 is a bottom view thereof;
FIG. 22 is a front perspective view of a fourth embodiment of our new portable coordinate measurement machine;
FIG. 23 is a front view thereof;
FIG. 24 is a rear view thereof;
FIG. 25 is a left side view thereof;
FIG. 26 is a right side view thereof;
FIG. 27 is a top view thereof; and,
FIG. 28 is a bottom view thereof.

1 Claim, 16 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7

FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28