



US00D479619S

(12) **United States Design Patent**
Lin

(10) **Patent No.:** **US D479,619 S**

(45) **Date of Patent:** **** Sep. 9, 2003**

(54) **EXTERIOR SURFACE CONFIGURATION OF
A VEHICLE REAR LIGHT**

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee

(76) **Inventor:** **Yu-Chu Lin**, No. 477, Chung Shan N.
Rd., Yung Kang City, Tainan Hsien
(TW)

(57) **CLAIM**

The ornamental design for an exterior surface configuration of a vehicle rear light, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/171,914**

FIG. 1 is a perspective view from the front right of an exterior surface configuration of a vehicle rear light showing my present design;

(22) **Filed:** **Dec. 3, 2002**

FIG. 2 is a front view thereof;

(51) **LOC (7) Cl.** **26-02**

FIG. 3 is a right view thereof; and,

(52) **U.S. Cl.** **D26/28**

(58) **Field of Search** D26/28–36, 120,
D26/122; 362/61, 80, 81, 82, 83, 83.4,
267, 269, 275

FIG. 4 is a top view thereof.

This design represents one embodiment of a design for an exterior surface configuration of a vehicle rear light. The drawings and descriptions represent the right side embodiment. The design also contemplates a mirror symmetrical embodiment on the left side of the vehicle. The dash line included denotes environment and is not part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D469,887 S * 2/2003 Liao et al. D26/28
D469,898 S * 2/2003 Pan et al. D26/28

* cited by examiner

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4