



US00D479703S

(12) **United States Design Patent**  
**Hutz et al.**

(10) **Patent No.:** **US D479,703 S**

(45) **Date of Patent:** **\*\* Sep. 16, 2003**

(54) **TIRE TREAD**

(75) Inventors: **John Anthony Hutz**, Greer, SC (US);  
**Stephen Lash**, Simpsonville, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.**  
(CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/168,202**

(22) Filed: **Sep. 27, 2002**

(51) **LOC (7) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/603**

(58) **Field of Search** ..... D12/500, 501,  
D12/564, 565, 566, 567, 600, 601, 602,  
603; 152/209.1, 209.9, 209.25, 209.27

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D362,219 S	9/1995	McKisson	.....	D12/147
D390,519 S	2/1998	White	.....	D12/147
D405,398 S	2/1999	McKisson	.....	D12/146

**OTHER PUBLICATIONS**

KUMHO 795 Touring A/S Tire, 2001 Tread Design Guide,  
Jan. 2001, p. 42. 4/1.\*  
Tread Design Guide, 1997, p. 30, FIRESTONE F570.  
Tread Design Guide, 1997, p. 38, HALLMARK Ultimate  
Metric II.

Tread Design Guide, 1997, p. 49, MAXXIS Maxxis MA-1.  
Tread Design Guide, 1997, p. 66, SEARS Guardsman SCR  
II.

Tread Design Guide, 2001, p. 17, BIG O Euro Tour.  
Tread Design Guide, 2001, p. 38, HANKOOK Radial H406.  
Tread Design Guide, 2001, p. 49, MICHELIN MXV3-A.  
Tread Design Guide, 2001, p. 61, ROADMASTER Strada  
GX.

\* cited by examiner

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Martin Farrell; Robert R.  
Reed; Alan A. Csontos

(57) **CLAIM**

The ornamental design for a tire tread, as shown and  
described.


**DESCRIPTION**


FIG. 1 is a perspective view of a tire tread showing our new  
design, it being understood that the tread pattern is repeated  
over the outer circumference of the tread and the adjacent  
shoulders of the tire, the opposite side perspective view  
being identical thereto; and,

FIG. 2 is a enlarged fragmentary front elevation view of the  
tread pattern of FIG. 1.


In the drawings, the dark stippled surface shading represents  
the recessed portion of the tread grooves having a depth as  
best shown along the right edge of FIG. 1. The broken line  
disclosure of a tire sidewall and inner bead is for illustrative  
purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**





*Fig. 1*



*Fig. 2*