



US00D479848S

(12) **United States Design Patent**
Smith

(10) **Patent No.:** **US D479,848 S**

(45) **Date of Patent:** **** Sep. 23, 2003**

(54) **NESTABLE INDUSTRIAL METAL CATHODE FOR THE MINING INDUSTRY**

(76) **Inventor:** **Richard A. Smith**, 1124 W. Thatcher Blvd., Safford, AZ (US) 85546

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/167,790**

(22) **Filed:** **Sep. 21, 2002**

(51) **LOC (7) Cl.** **15-99**

(52) **U.S. Cl.** **D15/199**

(58) **Field of Search** D13/119, 121, D13/133; D15/199; D25/199; D8/354; 72/379.2

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,969,170	A	*	1/1961	Waldorf	206/386
3,921,279	A	*	11/1975	Daley	29/458
4,030,187	A	*	6/1977	Daley	29/458
4,529,097	A	*	7/1985	Larson	220/86.2
4,721,342	A	*	1/1988	Daniels et al.	301/64.7
D299,254	S	*	1/1989	Martin et al.	D20/42
4,865,571	A	*	9/1989	Caramanica et al.	440/101
5,663,607	A	*	9/1997	Kira et al.	313/284
D399,730	S	*	10/1998	Pitre	D8/399
5,997,060	A	*	12/1999	Sperduto	294/1.1
2002/0005059	A1	*	1/2002	Smith	72/379.2

OTHER PUBLICATIONS

Trivets on p. 14 of Schlaifer's enameling Supplies catalog 2002 located at p. 26 of catalogs.google.com.*

* cited by examiner

Primary Examiner—Joel Sincavage

(57) **CLAIM**

I claim the ornamental design for a nestable industrial metal cathode for the mining industry, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the first embodiment of a nestable industrial metal cathode for the mining industry showing my new design;

FIG. 2 is an enlarged section al view of a corner thereof taken along line 2—2 of FIG. 1;


FIG. 3 is a bottom perspective view thereof;

FIG. 4 is a top perspective view of the second embodiment of a nestable industrial metal cathode for the mining industry showing my new design;

FIG. 5 is a bottom perspective view thereof; and,

FIG. 6 is a top perspective view of the third embodiment of a nestable industrial metal cathode for the mining industry showing my new design.

1 Claim, 3 Drawing Sheets






FIG. 2




FIG. 1

FIG. 3





FIG. 4

FIG. 5





FIG. 6