



US00D479888S

(12) **United States Design Patent**
Sharrah et al.

(10) **Patent No.:** **US D479,888 S**

(45) **Date of Patent:** **** Sep. 23, 2003**

(54) **FLASHLIGHT**

(75) Inventors: **Raymond L. Sharrah**, Collegeville
Borough, PA (US); **Robert A. Kline**,
Douglas Township, PA (US)

(73) Assignee: **Streamlight, Inc.**, Eagleville, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/159,798**

(22) Filed: **Apr. 29, 2002**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37; D26/43**

(58) **Field of Search** **D26/37-50; 362/157,**
362/158, 171, 172, 173, 183-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D166,073 S	3/1952	Dunkelberger
2,648,762 A	8/1953	Dunkelberger
D185,496 S	6/1959	Hansen
3,111,277 A	11/1963	Grimsley
3,881,468 A	5/1975	Foltz
D238,604 S	1/1976	Brindley
D268,442 S	3/1983	Darmon
4,495,550 A	1/1985	Visciano
D283,645 S	4/1986	Tanaka
4,841,417 A	6/1989	Maglica et al.
D302,325 S	7/1989	Charet et al.
5,154,483 A	10/1992	Zeller
D341,220 S	11/1993	Eagan
D346,871 S	5/1994	Zeller
D349,354 S	8/1994	Yau
D374,734 S	10/1996	Esposito
5,571,279 A	11/1996	Chiang
D377,989 S	2/1997	Marvin et al.
D378,858 S	4/1997	Kaiser
D379,540 S	5/1997	Szymanski
D379,541 S	5/1997	Kaiser
D379,542 S	5/1997	Egashira
D380,061 S	6/1997	Swyst
D380,844 S	7/1997	Kaiser

D381,101 S 7/1997 Haberstich et al.

D381,445 S 7/1997 Linnane

D381,446 S 7/1997 Kaiser

D381,447 S 7/1997 Haberstich et al.

(List continued on next page.)

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Dann, Dorfman, Herrell &
Skillman, P.C.

(57) **CLAIM**

The ornamental design for a flashlight, as shown and
described.

DESCRIPTION

FIGS. 1 and 2 are isometric views of a flashlight design
according to the present invention illustrating two different
examples of shapes into which a bendable and/or flexible
portion thereof may be formed;

FIG. 3 is a side view of the flashlight design of FIGS. 1 and
2;

FIG. 4 is an end view of a first end of the flashlight design
of FIGS. 1, 2 and 3;

FIG. 5 is an end view of a second end of the flashlight design
of FIGS. 1, 2 and 3;

FIG. 6 is a side view of a flashlight design according to the
present invention, illustrating one example of shapes into
which a bendable and/or flexible portion thereof may be
formed;

FIG. 7 is an end view of a first end of the flashlight design
of FIG. 6;


FIG. 8 is an end view of a second end of the flashlight design
of FIG. 6;

FIG. 9 is a side view of a flashlight design according to the
present invention, having end views as shown in FIGS. 7 and
8; and,

FIG. 10 is a side view of a flashlight design according to the
present invention, having end views as shown in FIGS. 7 and
8.

Applicants' design includes any shape into which the bend-
able and/or flexible portion of the flashlight may be formed.

1 Claim, 5 Drawing Sheets



US D479,888 S

Page 2

U.S. PATENT DOCUMENTS

D382,075 S	8/1997	Swyst	D403,453 S	* 12/1998	Shiau	D26/43
D383,231 S	9/1997	Kaiser	D404,157 S	* 1/1999	Carbone	D26/43
D385,637 S	10/1997	Rombough	D407,508 S	3/1999	Chiu	
D387,454 S	12/1997	Kaiser	D418,235 S	12/1999	Houplain	
5,707,137 A	1/1998	Hon	6,004,004 A	12/1999	Altman et al.	
D390,985 S	2/1998	Shiau	D419,704 S	1/2000	Ting	
D392,758 S	3/1998	Cedarberg, III	D429,534 S	8/2000	Sengsouvanh et al.	
5,722,764 A	3/1998	Jou	D430,321 S	* 8/2000	Sharrah	D26/37
D394,721 S	5/1998	Santarsiero	6,280,050 B1	8/2001	Bird et al.	
D403,451 S	12/1998	Ting	D452,024 S	12/2001	Sharrah	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 8




FIG. 7




FIG. 9




FIG. 10