



US00D480004S

(12) **United States Design Patent**
Beachum et al.

(10) **Patent No.: US D480,004 S**

(45) **Date of Patent: ** Sep. 30, 2003**

(54) **BOTTLE**

(75) Inventors: **Chad Beachum**, Allendale, MI (US);
Charles Curtiss, Long Island City, NY (US);
Nicholas Latorre, Spring Lake, MI (US);
Stuart M. Leslie, Larchmont, NY (US)

(73) Assignee: **Gerber Products Company**,
Reedsburg, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/175,950**

(22) Filed: **Feb. 13, 2003**

Related U.S. Application Data

(62) Division of application No. 29/151,970, filed on Dec. 12, 2001.

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529; D9/542; D9/558**

(58) **Field of Search** **D9/529, 530, 541-543, D9/549, 557-558, 300, 521, 574-575; 215/382-384, 396, 398, 400, 371, 375; 220/660, 375; D28/7**

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-------------|---------|-----------------|-------|---------|
| D47,909 S | 10/1915 | Bradford | | D9/503 |
| D152,744 S | 2/1949 | Rosenthal | | D44/21 |
| D156,219 S | 11/1949 | Deskey | | D58/6 |
| D168,344 S | 12/1952 | Goldman | | D2/3 |
| D182,540 S | 4/1958 | Soubier | | D58/8 |
| 3,252,492 A | 5/1966 | Marchant | | 150/0.5 |
| D249,228 S | 9/1978 | Schacher et al. | | D9/44 |
| 4,727,999 A | 3/1988 | Gach | | 215/232 |
| D323,780 S | 2/1992 | Addante | | D9/371 |
| D324,998 S | 3/1992 | Klapwald | | D9/403 |
| 5,105,989 A | 4/1992 | Gutkowski | | 222/182 |
| 5,123,561 A | 6/1992 | Gross | | 220/254 |
| D349,045 S | 7/1994 | Schmitt | | D9/300 |
| D349,858 S | 8/1994 | Lonczak et al. | | D9/558 |
| D356,248 S | 3/1995 | Wilkinson | | D9/300 |

| | | | | |
|-------------|---------|------------------|-------|---------|
| D356,949 S | 4/1995 | Mueller et al. | | D9/440 |
| 5,497,906 A | 3/1996 | Dubach | | 222/23 |
| D372,198 S | 7/1996 | Lathrop et al. | | D9/558 |
| D379,931 S | 6/1997 | Crawford | | D9/540 |
| D380,159 S | 6/1997 | Lathrop et al. | | D9/558 |
| D385,195 S | 10/1997 | Corwin et al. | | D9/542 |
| D389,744 S | 1/1998 | Noe et al. | | D9/542 |
| D394,812 S | 6/1998 | Crawford | | D9/543 |
| D396,611 S | 8/1998 | Huang | | D7/679 |
| 5,788,108 A | 8/1998 | Rohr | | 220/331 |
| D398,236 S | 9/1998 | Huang | | D9/502 |
| D398,535 S | 9/1998 | Henderson et al. | | D9/542 |
| D398,536 S | 9/1998 | Chan et al. | | D9/542 |
| D398,537 S | 9/1998 | Henderson et al. | | D9/542 |
| D399,604 S | 10/1998 | Wolff | | D28/64 |
| D401,507 S | 11/1998 | Gonda et al. | | D9/529 |
| D403,242 S | 12/1998 | Edwards | | D9/529 |
| D405,373 S | 2/1999 | Crawford | | D9/543 |

(List continued on next page.)

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath LLP

(57) **CLAIM**

The ornamental design of a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view as seen from above of a bottle of our new design.

FIG. 2 is a front elevation of the bottle of FIG. 1; the rear elevation being a mirror image.

FIG. 3 is a side elevation of the bottle of FIG. 1, the opposite side elevation being a mirror image.

FIG. 4 is a top plan view of the bottle of FIG. 1.

FIG. 5 is a bottom plan view of the bottle of FIG. 1.

FIG. 6 is a front isometric view as seen from above of a second embodiment of a bottle of our new design.


FIG. 7 is a front elevation of the bottle of FIG. 6; the rear elevation being a mirror image.

FIG. 8 is a side elevation of the bottle of FIG. 6, the opposite side elevation being a mirror image.

FIG. 9 is a top plan view of the bottle of FIG. 6; and,

FIG. 10 is a bottom plan view of the bottle of FIG. 6.

1 Claim, 6 Drawing Sheets



US D480,004 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-------------|---------|----------------------|---------|------------|--------|-------------------------|----------|
| D405,697 S | 2/1999 | Gelinas | D9/520 | D425,797 S | 5/2000 | Crawford | D9/543 |
| D407,304 S | 3/1999 | Crawford | D9/542 | D426,158 S | 6/2000 | Flurer et al. | D9/449 |
| D408,741 S | 4/1999 | Mohary et al. | D9/543 | D426,772 S | 6/2000 | Kahl | D9/449 |
| D412,118 S | 7/1999 | Rodea | D9/502 | D436,317 S | 1/2001 | Jones et al. | D9/558 |
| D413,267 S | 8/1999 | Mohary | D9/543 | D438,459 S | 3/2001 | Holthaus | D9/338 |
| D414,118 S | 9/1999 | Crawford | D9/543 | D439,165 S | 3/2001 | Erckelbout et al. | D9/520 |
| D415,688 S | 10/1999 | Crawford | D9/543 | D439,843 S | 4/2001 | Dalmau | D9/515 |
| D417,850 S | 12/1999 | Miller | D9/542 | D440,500 S | 4/2001 | Murphy et al. | D9/542 |
| D419,059 S | 1/2000 | Charriez et al. | D9/314 | D440,870 S | 4/2001 | Gonda et al. | D9/337 |
| 6,039,197 A | 3/2000 | Braun | 215/228 | D441,299 S | 5/2001 | McAllister | D9/558 |
| D422,220 S | 4/2000 | Feen | D9/542 | D442,436 S | 5/2001 | Kleckauskas et al. | D7/511 |
| | | | | D446,121 S | 8/2001 | Maddy | D9/545 X |
| | | | | D447,697 S | 9/2001 | Schultz et al. | D9/542 |




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7




FIG. 9




FIG. 10

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 480,004 S
DATED : September 30, 2003
INVENTOR(S) : Beachum et al.

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [75], Inventor, please change “**Nicholas Latorre**” to -- **Nickolas Latorre** --.

Signed and Sealed this

Twenty-second Day of November, 2005

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office