

US00D480021S

(12) United States Design Patent (10) Patent No.:

Warming (45) D

(10) Patent No.: US D480,021 S (45) Date of Patent: ** Sep. 30, 2003

(54) SURFACE CONFIGURATION OF A VEHICLE, TOY AND MISCELLANEOUS CONSUMER PRODUCTS INCORPORATING THE DESIGN

(75) Inventor: Anders Warming, Malibu, CA (US)

(73) Assignee: Bayerische Motoren Werke Aktiengesellschaft, Munich (DE)

(**) Term: 14 Years

(21) Appl. No.: 29/154,716

Jul. 30, 2001

(22) Filed: Jan. 30, 2002

(30) Foreign Application Priority Data

(51)	LOC (7) Cl	12-08
(52)	U.S. Cl	D12/92

(DE) 4 01 06 965

(56) References Cited

U.S. PATENT DOCUMENTS

D435,488 S	*	12/2000	Allemeier
D448,324 S	*	9/2001	Gabath
D467,201 S	*	12/2002	Giugiaro

OTHER PUBLICATIONS

Primary Examiner—Melody N. Brown (74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57) CLAIM

The ornamental design for a surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design, as shown and described.

DESCRIPTION

This application is related to the following co-pending applications, of the inventor, filed on even date herewith:

application Ser. No. 29/154,714, entitled "Surface Configuration of a Front Bumper for a Vehicle"; application Ser. No. 29/154.707, entitled "Surface Configuration of a Door for a Vehicle"; application Ser. No. 29/154,718, entitled "Surface" Configuration of a Front Fender for a Vehicle"; application Ser. No. 29/154723, entitled "Surface Configuration of a Rear Fender for a Vehicle"; application Ser. No. 29/154,705, entitled "Surface Configuration of a Rear Bumper for a Vehicle"; application Ser. No. 29/154,704, entitled "Surface" Configuration of a Trunk Lid for a Vehicle"; application Ser. No. 29/154,715, entitled "Surface Configuration of Pieces or Members of a Radiator Grill"; application Ser. No. 29/154, 720, entitled "Surface configuration of a side mirror for a vehicle"; application Ser. No. 29/154,721, entitled "Surface" Configuration of a Headlight for a Vehicle"; and application Ser. No. 29/154,708, entitled "Surface Configuration of a taillight for a Vehicle".

FIG. 1 is a left, front perspective view of a surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design according to my novel design; the right, front perspective view being mirror symmetrical; FIG. 2 is a left side view of the surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design according to my novel design;

FIG. 3 is a right side view of the surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design according to my novel design;

FIG. 4 is a left, rear perspective view of the surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design according to my novel design, the right, rear perspective view being mirror symmetrical;


FIG. 5 is a front view of the surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design according to my novel design;

FIG. 6 is a rear view of the surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design according to my novel design; and,

FIG. 7 is a top view of the surface configuration of a vehicle, toy and miscellaneous consumer products incorporating the design according to my novel design.


The broken lines included depict environment and are not part of the claimed design.


1 Claim, 6 Drawing Sheets




[&]quot;auto motor und sport", Jan. 10, 2001, pp. 14-15.


^{*} cited by examiner















Sep. 30, 2003

FIG. 6



F16. 5

