



US00D480530S

(12) **United States Design Patent**
Herst et al.

(10) **Patent No.:** **US D480,530 S**

(45) **Date of Patent:** **** Oct. 7, 2003**

(54) **LUMINAIRE BAFFLE STRUCTURE**

(75) Inventors: **Douglas J. Herst**, Ross, CA (US);
Peter Y. Y. Ngai, Alamo, CA (US);
Michael Tran, Oakland, CA (US)

(73) Assignee: **Acuity Brands, Inc.**, Atlanta, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/166,405**

(22) Filed: **Aug. 26, 2002**

(51) **LOC (7) Cl.** **26-99**

(52) **U.S. Cl.** **121/77; D26/77**

(58) **Field of Search** **D26/72, 75-78,**
D26/118, 119, 121, 122, 152; 362/215,
217-225, 260, 291, 342, 354

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|---|---------|----------------|-------|---------|
| D143,641 S | * | 1/1946 | Biller et al. | | D26/121 |
| D147,905 S | * | 11/1947 | Holmes | | D26/86 |
| D149,655 S | * | 5/1948 | Lindahl | | D26/77 |
| D156,332 S | * | 12/1949 | Gilman | | D26/77 |
| D160,417 S | * | 10/1950 | Nitardy | | D26/77 |
| 2,946,880 A | * | 7/1960 | Picha et al. | | 362/224 |
| 5,144,539 A | * | 9/1992 | Katoh et al. | | 362/256 |
| D348,950 S | * | 7/1994 | Herst et al. | | D26/85 |
| D459,517 S | * | 6/2002 | Shemitz et al. | | D26/76 |
| 6,402,345 B1 | | 6/2002 | Fishman | | |

OTHER PUBLICATIONS

Product brochure, Corelite, Stellar suspended Direct/Indirect (1 page); date unknown.

Product sheets, Finelite, Series 2 Lighting Fixture (4 pages); date unknown.

Product brochure, Amerlux Lighting Systems, Spaceform I, II and III (4 pages); date unknown.

* cited by examiner

Primary Examiner—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Donald L. Beeson

(57) **CLAIM**

The ornamental design for a luminaire baffle structure, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a luminaire baffle structure showing our new design;

FIG. 2 is a bottom plan view thereof;


FIG. 3 is a right side elevational view thereof, the left side being a mirror image;

FIG. 4 is an enlarged cross-sectional view thereof taken along the line 4—4 in FIG. 2; and,

FIG. 5 is an enlarged side elevational view thereof.

FIGS. 1-3 and 5 are broken away to indicate indeterminate length. The broken lines are shown in FIGS. 1 and 4 for illustrative purposes only and indicate the nature and use of our new design. The top of the luminaire baffle structure is unornamented and forms no part of our new design.

1 Claim, 3 Drawing Sheets






FIG.-1




FIG. 2




FIG. 3




FIG. 4




FIG. 5