



US00D481045S

(12) **United States Design Patent**  
**Ahn**

(10) **Patent No.:** **US D481,045 S**

(45) **Date of Patent:** **\*\* Oct. 21, 2003**

(54) **TIP FOR CORE DRILL**

6,033,295 A \* 3/2000 Fisher et al. .... 451/540  
D466,139 S \* 11/2002 Kim et al. .... D15/139

(75) Inventor: **Jang Hyuk Ahn**, Kyungki-do (KR)

\* cited by examiner

(73) Assignee: **Ehwa Diamond Industrial Co., Ltd.**  
(KR)

*Primary Examiner*—Antoine Duval Davis  
(74) *Attorney, Agent, or Firm*—Webb Ziesenheim Logsdon  
Orkin & Hanson, P.C.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/170,358**

(57) **CLAIM**

(22) Filed: **Nov. 5, 2002**

The ornamental design for a tip for core drill, as shown and described.

(51) **LOC (7) Cl.** ..... **15-09**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D15/139**

(58) **Field of Search** ..... D15/139; 175/414,  
175/379; 451/540, 542, 548, 541, 547;  
125/15, 20

FIG. 1 is a perspective view of the tip for core drill;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is a perspective view showing the article as used with  
a core drill.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D210,975 S	*	5/1968	Blau	.....	D15/139
3,589,456 A	*	6/1971	McKain	.....	175/414
4,208,154 A	*	6/1980	Gundy	.....	D15/139 X
D342,270 S	*	12/1993	Kwang	.....	D15/139
5,868,125 A	*	2/1999	Maoujoud	.....	125/15
5,996,571 A	*	12/1999	Jedick	.....	125/20

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8