

US00D481050S

# (12) United States Design Patent (10) Patent No.:

Carr et al.

US D481,050 S

Oct. 21, 2003 (45) Date of Patent:

**LENS** (54)

Inventors: David Lawrence Carr, Napa, CA

(US); Fang Chen, Lonsdale (AU)

Sola International, Inc., San Diego, (73)Assignee:

CA (US)

14 Years Term:

Appl. No.: 29/163,810

Jul. 15, 2002 Filed:

#### (30)Foreign Application Priority Data

(51) <b>LOC</b> (7)	Cl.	16-06
Jan. 14, 2002	(AU)	
Jan. 14, 2002	(AU)	

LOC (/) CI. ...... 10-00 (52)U.S. Cl. ...... D16/101

(58)D29/109, 110; 351/41, 44, 51, 52, 158,

159, 174; 2/447, 426

#### **References Cited** (56)

## U.S. PATENT DOCUMENTS

2,354,772 A	*	8/1944	Prange 351/174
D160,479 S	*	10/1950	Costa
3,434,781 A	*	3/1969	Davis et al 351/159
D285,309 S	*	8/1986	Rips D16/101
D356,323 S	*	3/1995	Yee
D366,663 S	*	1/1996	Metruk D16/101
D369,375 S	*	4/1996	Jannard et al 351/160 R

# OTHER PUBLICATIONS

Accessories, p. 49, May 1998.\* Clinton optical company, inc., p. 28, Jan. 1947.\* Spencer optical manufacturing co., p. 22, Sep. 1946.\* Ray-Ban catalog, p. 27, 1997.\*

Primary Examiner—Raphael Barkai

(74) Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis, L.L.P.

### **CLAIM** (57)

The ornamental design for a lens, as shown and described.

## **DESCRIPTION**

FIG. 1 is a front perspective view of a lens showing our new design.

FIG. 2 is a top perspective view thereof.

FIG. 3 is a side elevational view thereof, the other side being a mirror image.

FIG. 4 is a front elevational view thereof.

FIG. 5 is a cross sectional view thereof, taken generally along the line 5—5 shown in FIG. 4.

FIG. 6 is a top plan view thereof.

FIG. 7 is a cross sectional view thereof, taken generally along the line 7—7 shown in FIG. 4.

FIG. 8 is a rear elevational view thereof.

FIG. 9 is a bottom plan view thereof.

FIG. 10 is a front perspective view of a second embodiment of a lens showing our new design thereof.

FIG. 11 is a top perspective view thereof.

FIG. 12 is a side elevational view thereof, the other side being a mirror image;

FIG. 13 is a front elevational view thereof.

FIG. 14 is a cross sectional view thereof, taken generally along the line 14—14 shown in FIG. 13.

FIG. 15 is a top plan view thereof.


FIG. 16 is a cross sectional view thereof, taken generally along the line 16—16 shown in FIG. 13.

FIG. 17 is a rear elevational view thereof; and,


FIG. 18 is a bottom plan view thereof.


The lens of the present invention as illustrated in FIGS. 1–18 is substantially transparent/translucent. The second embodiment of the present invention as illustrated in FIGS. 10–18 further includes a side peripheral edge having a pattern and/or ornamentation, such as a color, applied thereto.

## 1 Claim, 6 Drawing Sheets



<sup>\*</sup> cited by examiner








FIG. 3

FIG. 5




FIG. 4






FIG. 7







FIG. 8












FIG. 12

FIG. 14









FIG. 16



F/G. 17

