



US00D481214S

(12) **United States Design Patent** (10) **Patent No.:** **US D481,214 S**
Chalmers et al. (45) **Date of Patent:** **** Oct. 28, 2003**

(54) **SEAT**

(75) Inventors: **Richard R. Chalmers**, Camden, ME (US); **Gilbert V. Harper**, Cushing, ME (US)

(73) Assignee: **Imagineering, Inc.**, Rockland, ME (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/168,711**

(22) Filed: **Oct. 7, 2002**

(51) **LOC (7) Cl.** **06-01**

(52) **U.S. Cl.** **D6/370; D6/360; D6/381**

(58) **Field of Search** D6/334, 335, 360, D6/370, 374, 379, 380, 381, 500, 501, 502; 297/232, 445.1, 446.1, 452.63

(56) **References Cited**

U.S. PATENT DOCUMENTS

D271,543 S	*	11/1983	DeFuccio	D6/379
D287,197 S	*	12/1986	Zakharov	D6/360
D287,794 S	*	1/1987	Zakharov	D6/360
D292,046 S	*	9/1987	Walker	D6/370
D348,572 S	*	7/1994	Glass	D6/379
D416,717 S	*	11/1999	Chalmers et al.	D6/500
D417,103 S	*	11/1999	Chalmers et al.	D6/500
D417,104 S	*	11/1999	Chalmers et al.	D6/500
D417,569 S	*	12/1999	Chalmers et al.	D6/500
D431,380 S	*	10/2000	Hutton	D6/360
D433,835 S	*	11/2000	Hutton	D6/370
D474,621 S	*	5/2003	Pesso	D6/379

OTHER PUBLICATIONS

Interiors, p. 63, Chair shown in Brayton International ad, Sep. 1986.*

Weatherend Estate Furniture Brochure, Jan. 2000, especially pp. 17, 21, 27.

Simplyteak.com Web site, Orlando Arm Chair, date unknown.

Kaare Klint, Faaborg Chair, ca. 1914–23 Rud. Rasmussens Sned Kerier Aps.

Kaare Klint, Arm Chair, 1923, Rud. Rasmussens Sned Kerier Aps.

U.S. patent application Ser. No. 29/168,713 filed Oct. 7, 2002, by Chalmers et al., entitled “Chair”.

U.S. patent application Ser. No. 29/168,712 filed Oct. 7, 2002, by Chalmers et al., entitled “Chair Frame”.

U.S. patent application Ser. No. 29/168,710 filed Oct. 7, 2002, by Chalmers et al., entitled “Chair Frame”.

Ole Wanscher, Arm Chair, ca. 1958, Mfg. A.J. Iversen.

* cited by examiner

Primary Examiner—Gary D. Watson

(74) *Attorney, Agent, or Firm*—Heslin Rothenberg Farley & Mesiti P.C.

(57) **CLAIM**

The ornamental design for a seat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a seat comprising the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;


FIG. 4 is a right side view thereof, where the left side is a mirror image thereof;

FIG. 5 is a back view thereof;

FIG. 6 is a perspective view of an alternative embodiment of said new design showing legs broken away for indeterminate length; and,

FIG. 7 is a front exploded-broken view of an alternative embodiment of said new design having an indeterminate width.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7