



US00D481300S

(12) **United States Design Patent**  
**Nezu**

(10) **Patent No.:** **US D481,300 S**

(45) **Date of Patent:** **\*\* Oct. 28, 2003**

(54) **CORD FASTENER**

(75) Inventor: **Mikio Nezu**, Suita (JP)  
(73) Assignee: **Nifco Inc.**, Yokohama (JP)  
(\*\*) Term: **14 Years**

(21) Appl. No.: **29/172,432**  
(22) Filed: **Dec. 12, 2002**

(30) **Foreign Application Priority Data**

Jun. 20, 2002 (JP) ..... 2002-016523

(51) **LOC (7) Cl.** ..... **08-08**  
(52) **U.S. Cl.** ..... **D8/383**  
(58) **Field of Search** ..... D8/383; 24/115 R,  
24/115 H, 115 M, 115 G, 115 K, 129 R

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,409,950 A \* 11/1968 Boyd ..... 24/115 R  
D343,570 S \* 1/1994 Meier ..... D8/383  
5,621,952 A \* 4/1997 Frano ..... 24/115 G  
5,671,505 A \* 9/1997 Anscher ..... 24/115 G

**FOREIGN PATENT DOCUMENTS**

EP 291154 A2 \* 11/1988 ..... B65D/33/28  
\* cited by examiner

*Primary Examiner*—Holly Baynham  
(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi


(57) **CLAIM**

The ornamental design for a cord fastener, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a cord fastener showing my new design;  
FIG. 2 is a front view thereof, a rear view being symmetrical to the front view;  
FIG. 3 is a right view thereof, a left view being the same as the right view;  
FIG. 4 is a plan view thereof;  
FIG. 5 is a bottom view thereof; and,  
FIG. 6 is a sectional view thereof taken along line 6—6 of FIG. 2.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6