



US00D481301S

(12) **United States Design Patent**  
**Nezu**

(10) **Patent No.:** **US D481,301 S**

(45) **Date of Patent:** **\*\* Oct. 28, 2003**

(54) **CORD FASTENER**

(75) Inventor: **Mikio Nezu**, Suita (JP)

(73) Assignee: **NIFCO Inc.**, Yokohama (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/172,433**

(22) Filed: **Dec. 12, 2002**

(30) **Foreign Application Priority Data**

Jun. 20, 2002 (JP) ..... 2002-016522

(51) **LOC (7) Cl.** ..... **08-03**

(52) **U.S. Cl.** ..... **D8/383**

(58) **Field of Search** ..... D8/383; 24/115 R,  
24/115 H, 115 M, 115 G, 115 K, 129 R

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,409,950	A	*	11/1968	Boyd	.....	24/115 R
D343,570	S	*	1/1994	Meier	.....	D8/383
5,621,952	A	*	4/1997	Frano	.....	24/115 G
5,671,505	A	*	9/1997	Anscher	.....	24/115 G
D402,190	S	*	12/1998	Anscher	.....	D8/383

**FOREIGN PATENT DOCUMENTS**

EP 291154 A2 \* 11/1988 ..... B65D/33/28

\* cited by examiner

*Primary Examiner*—Holly Baynham

(74) *Attorney, Agent, or Firm*—Kanesaka & Takeuchi

(57) **CLAIM**

The ornamental design for a cord fastener, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a cord fastener showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a right view thereof;

FIG. 4 is a left view thereof;


FIG. 5 is a plan view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a sectional view thereof taken along line 7—7 of FIG. 2; and,

FIG. 8 is a sectional view thereof taken along line 8—8 of FIG. 2.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8