



US00D481503S

(12) **United States Design Patent**
Choi

(10) **Patent No.:** **US D481,503 S**

(45) **Date of Patent:** **** Oct. 28, 2003**

(54) **IRON**
(75) Inventor: **Lung Wai Choi**, Kowloon (HK)
(73) Assignee: **Goodway Electrical Co. Ltd.**,
Kowloon (HK)
(**) Term: **14 Years**

D423,162 S 4/2000 Sugimoto et al.
D425,278 S 5/2000 Yang
D427,403 S 6/2000 Gudefin
D428,541 S 7/2000 Bas
D430,371 S 8/2000 Brady et al.

(List continued on next page.)

(21) Appl. No.: **29/169,382**
(22) Filed: **Oct. 15, 2002**

JP 59-168891 * 9/1984 D06F/75/10

(30) **Foreign Application Priority Data**

Jun. 12, 2002 (GB) 3004392

(51) **LOC (7) Cl.** **07-05**
(52) **U.S. Cl.** **D32/70**
(58) **Field of Search** D32/68-72; 38/74-75,
38/77.1, 77.2, 77.5, 77.6, 77.7, 77.8, 77.9,
88, 90, 93, 95; 219/245, 248, 254, 257

FOREIGN PATENT DOCUMENTS

OTHER PUBLICATIONS

GB 2069531 [online] Sep. 30, 1997 [Retrieved Apr. 7, 2003]
Retrieved from the Designs Database of the UK Patent
Office using Internet <URL: http://webdb1.patent.gov.uk/RightSite/formexec?DMW_INPUTFORM=TPO_search_edition_7&BROWSER_TYPE=nav4>.*

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor
(74) *Attorney, Agent, or Firm*—Christensen O'Connor;
Johnson Kindness PLLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

D291,616 S 8/1987 Henny
4,702,933 A 10/1987 Kramer
D353,246 S 12/1994 Kameda
D353,694 S 12/1994 Vildosola
D361,184 S 8/1995 Casuso Fuente
D362,944 S 10/1995 Sham et al.
D364,950 S 12/1995 Classen
D365,899 S 1/1996 Wai
D368,348 S 3/1996 Loomis et al.
D369,005 S 4/1996 Stützer et al.
D370,104 S 5/1996 Gudefin
D374,956 S * 10/1996 Hsu D32/70
D376,234 S 12/1996 Hensel et al.
D386,863 S 11/1997 Lin
D389,627 S 1/1998 Stützer et al.
D393,509 S 4/1998 Gudefin
D401,706 S 11/1998 Gudefin
D406,933 S 3/1999 Leverrier
D413,005 S 8/1999 Taylor
D415,865 S 10/1999 Littmann et al.
D416,656 S 11/1999 Sadler
D419,274 S 1/2000 Choi


(57) **CLAIM**

I claim the ornamental design for an iron, as shown and described.

DESCRIPTION

FIG. 1 is a top view of my iron;
FIG. 2 is a front perspective view thereof;
FIG. 3 is a rear perspective view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a side elevational view of one side thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a side elevational view of the opposite side thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a reduced front elevational view of the iron of FIG. 4 showing a moveable member in a second position; and,
FIG. 10 is a reduced side elevational view of the iron of FIG. 5 showing the moveable member in the second position.

1 Claim, 9 Drawing Sheets



US D481,503 S

Page 2

U.S. PATENT DOCUMENTS

D432,751 S	10/2000	Gudefin	D436,704 S	1/2001	Stützer et al.	
D434,197 S	11/2000	Perko et al.	D441,929 S	5/2001	Taylor	
D435,157 S	12/2000	Naft et al.	D443,743 S	6/2001	Edwards et al.	
D435,325 S	12/2000	Stützer et al.	D459,045 S	* 6/2002	Figur et al. D32/70
D435,950 S	1/2001	Yang	D463,891 S	* 10/2002	Choi D32/70

* cited by examiner




Fig. 1.




Fig. 2.




Fig.3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.