



US00D481825S

(12) **United States Design Patent** (10) **Patent No.:** **US D481,825 S**
Fickas et al. (45) **Date of Patent:** **** Nov. 4, 2003**

(54) **LUMINAIRE BRACKET** D421,663 S * 3/2000 Von Kluck D26/144
D445,940 S * 7/2001 Davis, Jr. D26/81

(75) Inventors: **Eric J. Fickas**, Powell, OH (US); **Fred C. Schlichter**, Newark, OH (US) * cited by examiner

(73) Assignee: **Acuity Brands, Inc.**, Atlanta, GA (US) *Primary Examiner*—Pamela Burgess

(**) Term: **14 Years** (74) *Attorney, Agent, or Firm*—Kenneth E. Darnell

(21) Appl. No.: **29/169,360** (57) **CLAIM**

(22) Filed: **Oct. 18, 2002** The ornamental design for a luminaire bracket, as shown and described.

(51) **LOC (7) Cl.** **26-99** **DESCRIPTION**

(52) **U.S. Cl.** **D26/138**; D8/373 FIG. 1 is a bottom perspective view of a luminaire bracket showing our new design;

(58) **Field of Search** D8/373; D6/556; FIG. 2 is a top perspective view thereof;

248/317–318, 342, 344, 906, 343; D26/72, FIG. 3 is a first side elevational view thereof;

80–90, 138, 144, 142, 143, 147, 149; 362/147, FIG. 4 is a second side elevational view seen rotated 45° from the first elevational view of FIG. 3;

404–409 FIG. 5 is a top plan view thereof; and,

(56) **References Cited** FIG. 6 is a bottom view thereof.


U.S. PATENT DOCUMENTS The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

D70,159 S * 5/1926 Crumley D26/144

D311,679 S * 10/1990 Morris D8/373

D391,011 S * 2/1998 Kluck D26/142

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6