



US00D482003S

(12) **United States Design Patent**  
**Lewis**

(10) **Patent No.: US D482,003 S**

(45) **Date of Patent: \*\* \*Nov. 11, 2003**

(54) **SURGE AND LIGHTNING SUPPRESSOR  
WITH FAULT LAMP INDICATORS**

5,359,657 A \* 10/1994 Pelegris ..... 361/119  
D371,113 S \* 6/1996 Hubbell et al. .... D13/160  
D390,190 S \* 2/1998 Stekelenburg ..... D13/160  
5,910,877 A \* 6/1999 Paske et al. .... 361/119

(76) Inventor: **Joseph S. Lewis**, 506 Ethel La.,  
Tularosa, NM (US) 88352

\* cited by examiner

(\* ) Notice: This patent is subject to a terminal dis-  
claimer.

(\*\* ) Term: **14 Years**

*Primary Examiner*—Adir Aronovich  
(74) *Attorney, Agent, or Firm*—Dennis F. Armijo

(21) Appl. No.: **29/133,045**

(57) **CLAIM**

(22) Filed: **Nov. 22, 2000**

The ornamental design for a surge and lightning suppressor  
with fault lamp indicators, as shown and described.

**Related U.S. Application Data**

**DESCRIPTION**

(62) Division of application No. 29/078,174, filed on Oct. 20,  
1997, now Pat. No. Des. 435,019.

(51) **LOC (7) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/160; D13/155**

(58) **Field of Search** ..... D13/152, 155,  
D13/160, 178; 361/119, 600, 601

FIG. 1 is a perspective front and side view of a surge and  
lightning suppressor with fault lamp indicators, the undis-  
closed opposite side view being a mirror image thereof;

FIG. 2 is a perspective front and bottom view thereof; and,


FIG. 3 is a rear view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D235,555 S \* 6/1975 Plummer ..... D13/152

**1 Claim, 1 Drawing Sheet**






FIG-1




FIG-2




FIG-3