



US00D482154S

(12) **United States Design Patent** (10) **Patent No.:** **US D482,154 S**
Smith (45) **Date of Patent:** **** Nov. 11, 2003**

(54) **LIGHTING APPARATUS**

(75) Inventor: **Anthony Edward Smith, Ilkeston (GB)**

(73) Assignee: **Birchwood Products Limited, Derbyshire (GB)**

(**) Term: **14 Years**

(21) Appl. No.: **29/162,280**

(22) Filed: **Jun. 12, 2002**

(30) **Foreign Application Priority Data**

Dec. 13, 2001 (GB) 3000128

(51) **LOC (7) Cl.** **26-03**

(52) **U.S. Cl.** **D26/110**

(58) **Field of Search** D26/93-112; 362/410-414, 362/401, 269, 285, 431

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,381,325	A	1/1995	Messana
5,490,051	A	2/1996	Messana
5,590,956	A	1/1997	Messana et al.

FOREIGN PATENT DOCUMENTS

CA	2115095	8/1994
GB	313174	7/1930
GB	1 603 824	12/1981
WO	95/31352	11/1995

Primary Examiner—Alan P. Douglas

Assistant Examiner—Linda Brooks

(74) *Attorney, Agent, or Firm*—Smith-Hill and Bedell

(57) **CLAIM**

The ornamental design for a lighting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the lighting apparatus

FIG. 2 is a bottom view of the lighting apparatus

FIG. 3 is a front view of the lighting apparatus

FIG. 4 is a rear view of the lighting apparatus on a reduced scale

FIG. 5 is a view from one side of the lighting apparatus on a reduced scale

FIG. 6 is a view from the other side of the lighting apparatus on a reduced scale

FIG. 7 is a perspective view of the lighting apparatus on a reduced scale

FIG. 8 is a top view of the base of the lighting apparatus, shown separately for clarity

FIG. 9 is a bottom view of the base of the lighting apparatus, shown separately for clarity

FIG. 10 is a front view of the base of the lighting apparatus, shown separately for clarity

FIG. 11 is a back view of the base of the lighting apparatus, shown separately for clarity

FIG. 12 is a view from one side of the base of the lighting apparatus, shown separately for clarity

FIG. 13 is a view from the other side of the base of the lighting apparatus, shown separately for clarity

FIG. 14 is a perspective view of the base of the lighting apparatus, shown separately for clarity

FIG. 15 is a top perspective view of the lighting tube of the lighting apparatus, shown separately for clarity


FIG. 16 is a front view of the lighting tube, shown separately for clarity, on a reduced scale

FIG. 17 is a back view of the lighting tube, shown separately for clarity, on a reduced scale

FIG. 18 is a view from one side of the lighting tube, shown separately for clarity, on a reduced scale; and,

FIG. 19 is a view from the other side of the lighting tube, shown separately for clarity, on a reduced scale.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19