



US00D482154S

(12) **United States Design Patent** (10) **Patent No.:** **US D482,154 S**  
**Smith** (45) **Date of Patent:** **\*\* Nov. 11, 2003**

(54) **LIGHTING APPARATUS**

(75) Inventor: **Anthony Edward Smith, Ilkeston (GB)**

(73) Assignee: **Birchwood Products Limited, Derbyshire (GB)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/162,280**

(22) Filed: **Jun. 12, 2002**

(30) **Foreign Application Priority Data**

Dec. 13, 2001 (GB) ..... 3000128

(51) **LOC (7) Cl.** ..... **26-03**

(52) **U.S. Cl.** ..... **D26/110**

(58) **Field of Search** ..... D26/93-112; 362/410-414, 362/401, 269, 285, 431

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,381,325 A 1/1995 Messana  
5,490,051 A 2/1996 Messana  
5,590,956 A 1/1997 Messana et al.

**FOREIGN PATENT DOCUMENTS**

CA 2115095 8/1994  
GB 313174 7/1930  
GB 1 603 824 12/1981  
WO 95/31352 11/1995

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Linda Brooks

(74) *Attorney, Agent, or Firm*—Smith-Hill and Bedell

(57) **CLAIM**

The ornamental design for a lighting apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of the lighting apparatus

FIG. 2 is a bottom view of the lighting apparatus

FIG. 3 is a front view of the lighting apparatus

FIG. 4 is a rear view of the lighting apparatus on a reduced scale

FIG. 5 is a view from one side of the lighting apparatus on a reduced scale

FIG. 6 is a view from the other side of the lighting apparatus on a reduced scale

FIG. 7 is a perspective view of the lighting apparatus on a reduced scale

FIG. 8 is a top view of the base of the lighting apparatus, shown separately for clarity

FIG. 9 is a bottom view of the base of the lighting apparatus, shown separately for clarity

FIG. 10 is a front view of the base of the lighting apparatus, shown separately for clarity

FIG. 11 is a back view of the base of the lighting apparatus, shown separately for clarity

FIG. 12 is a view from one side of the base of the lighting apparatus, shown separately for clarity

FIG. 13 is a view from the other side of the base of the lighting apparatus, shown separately for clarity

FIG. 14 is a perspective view of the base of the lighting apparatus, shown separately for clarity

FIG. 15 is a top perspective view of the lighting tube of the lighting apparatus, shown separately for clarity


FIG. 16 is a front view of the lighting tube, shown separately for clarity, on a reduced scale

FIG. 17 is a back view of the lighting tube, shown separately for clarity, on a reduced scale

FIG. 18 is a view from one side of the lighting tube, shown separately for clarity, on a reduced scale; and,

FIG. 19 is a view from the other side of the lighting tube, shown separately for clarity, on a reduced scale.

**1 Claim, 10 Drawing Sheets**






FIG. 1





FIG. 2



**FIG. 3**




FIG. 4




FIG. 5




FIG. 6







FIG. 7




**FIG. 8**




**FIG. 9**




**FIG. 10**



**FIG. 11**




**FIG. 12**




**FIG. 13**







**FIG. 14**




**FIG. 15**




**FIG. 16**



**FIG. 17**



**FIG. 18**



**FIG. 19**