



US00D482225S

(12) **United States Design Patent**
Farrar et al.

(10) **Patent No.:** **US D482,225 S**

(45) **Date of Patent:** **** Nov. 18, 2003**

(54) **HOLDER FOR A DISC-SHAPED DATA CARRIER**

(75) Inventors: **Peter Farrar**, Leeds (GB); **Anthony Fraser**, Rutland (GB); **Robert Johnston**, Northants (GB); **Noboru Wakitani**, Kyoto (JP); **Hideo Nagata**, Kyoto (JP); **Yasuhisa Kitano**, Kyoto (JP)

(73) Assignee: **Nintendo Co., Ltd.** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/157,471**

(22) Filed: **Mar. 21, 2002**

(30) **Foreign Application Priority Data**

Sep. 21, 2001 (GB) 2105021

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D6/626; D6/407; D6/635**

(58) **Field of Search** D3/201, 217, 218, D3/226, 238, 247, 254, 257, 270, 272, 273, 276, 295, 303, 307, 301; D6/407, 408, 475, 626-635; D9/337, 424, 445, 454; 206/18, 307, 307.1, 308.1, 308.2, 308.3, 309-310, 311, 312, 313, 445, 749; 312/902, 9.9, 9.48, 9.55, 9.64, 9.47, 9.53, 328; 379/355; 383/18

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,208,117 A * 6/1980 Harvey et al. 396/512
5,322,162 A * 6/1994 Melk 206/310

5,477,960 A * 12/1995 Chen 206/308.1
5,720,384 A * 2/1998 Wu-Chen 206/308.1
5,887,712 A * 3/1999 Jenkins et al. 206/307.1
D408,202 S * 4/1999 Jacobson D6/626
D413,753 S * 9/1999 Allsop D6/626
D414,646 S * 10/1999 Ougergouz D6/634
D419,358 S * 1/2000 Marcon D6/626
D436,359 S * 1/2001 Bertrand et al. D14/479
6,227,362 B1 * 5/2001 Cheung 206/308.1
6,250,461 B1 * 6/2001 Hu 206/310
6,283,286 B1 * 9/2001 Hu 206/310
D448,962 S * 10/2001 Clausen D6/626
D454,750 S * 3/2002 Bieda D6/632
D459,935 S * 7/2002 Takahashi et al. D6/634
6,502,694 B1 * 1/2003 Pijanowski et al. 206/310
6,523,683 B1 * 2/2003 Fraser et al. 206/308.1

* cited by examiner

Primary Examiner—Celia Murphy

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye P.C.


(57) **CLAIM**

The ornamental design for a “holder for a disc-shaped data carrier”, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a holder for a disc-shaped data carrier showing our new design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a top perspective view thereof;
FIG. 5 is a bottom perspective view thereof; and,
FIG. 6 is a cross sectional view thereof, taken on line 6—6 of FIG. 1.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5



Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 482,225 S
APPLICATION NO. : 29/157471
DATED : November 18, 2003
INVENTOR(S) : Farrar et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please substitute the attached Figure 6, as shown on the attached page

Signed and Sealed this

Eighth Day of April, 2008

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS
Director of the United States Patent and Trademark Office

U.S. Patent

Nov. 18, 2003

Sheet 6 of 6

D482,225 S



Fig. 6