

US00D482266S

(12) United States Design Patent (10) Patent No.: **Aoki**

US D482,266 S ** Nov. 18, 2003 (45) Date of Patent:

MAGNETIC FASTENER

Yoshihiro Aoki, Tokyo (JP) Inventor:

Assignee: Application Art Laboratories Co.,

Ltd., Tokyo (JP)

14 Years Term:

Appl. No.: 29/149,061 Oct. 3, 2001

Filed:

Related U.S. Application Data

(62)Division of application No. 29/117,612, filed on Jan. 31, 2000, which is a division of application No. 29/102,113, filed on Mar. 17, 1999, now Pat. No. Des. 425,780, which is a division of application No. 29/089,188, filed on Jun. 9, 1998, now Pat. No. Des. 412,865.

(51)	LOC (7) Cl	08-08
(52)	U.S. Cl	D8/382

(58)D11/231, 200–220; 24/303, 688, 94; 63/292

References Cited (56)

U.S. PATENT DOCUMENTS

D273,840 S	5/1984	Morita
D274,883 S	7/1984	Aoki
4,505,007 A	3/1985	Aoki 24/303
4,779,314 A	10/1988	Aoki 24/303
D303,641 S	9/1989	Aoki
4,941,235 A	7/1990	Aoki 24/303
5,152,035 A	10/1992	Morita 24/303
D335,266 S	5/1993	Morita D11/231
5,249,338 A	10/1993	Aoki 24/303
D360,391 S	7/1995	Aoki
D411,478 S	6/1999	Kenagy D11/87
D412,865 S	8/1999	Aoki
D425,780 S	5/2000	Aoki
D426,765 S	6/2000	Aoki
D434,644 S	12/2000	Aoki
D461,400 S	* 8/2002	Aoki
D464,562 S	* 10/2002	Reiter

^{*} cited by examiner

Primary Examiner—Catherine R. Oliver

(74) Attorney, Agent, or Firm—Wenderoth, Lind & Ponack, L.L.P.

CLAIM (57)

The ornamental design for a magnetic fastener, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a magnetic fastener showing the first embodiment of my new design, with the rear elevational view being identical thereto;

FIG. 2 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevational view of the front member of the magnetic fastener shown in FIG. 1, detached from the rear member, with the rear elevational view being identical thereto;

FIG. 6 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 7 is a top plan view thereof corresponding to FIG. 3;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 1, detached from the front member, with the rear elevational view being identical thereto;

FIG. 10 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof corresponding to FIG. 4;

FIG. 13 is a front elevational view of a magnetic fastener showing the second embodiment of my new design, with the rear elevational view being identical thereto;

FIG. 14 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 15 is a top plan view thereof;

FIG. 16 is a bottom plan view thereof;

FIG. 17 is a front elevational view of the front member of the magnetic fastener shown in FIG. 13, detached from the rear member, with the rear elevational view being identical thereto;




FIG. 18 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 19 is a top plan view thereof corresponding to FIG. 15;

FIG. 20 is a bottom plan view thereof;

FIG. 21 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 13, detached from the front member, with the rear elevational view being identical thereto;

FIG. 22 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 23 is a top plan view thereof;

FIG. 24 is a bottom plan view thereof corresponding to FIG. 16;

FIG. 25 is a front elevational view of a magnetic fastener showing the third embodiment of my new design, with the rear elevational view being identical thereto;

FIG. 26 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 27 is a top plan view thereof;

FIG. 28 is a bottom plan view thereof;

FIG. 29 is a front elevational view of the front member of the magnetic fastener shown in FIG. 25, detached from the rear member, with the rear elevational view being identical thereto;

FIG. 30 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 31 is a top plan view thereof corresponding to FIG. 27;

FIG. 32 is a bottom plan view thereof;

FIG. 33 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 25, detached from the front member, with the rear elevational view being identical thereto;

FIG. 34 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 35 is a top plan view thereof;

FIG. 36 is a bottom plan view thereof corresponding to FIG. 28;

FIG. 37 is a front elevational view of a magnetic fastener showing the fourth embodiment of my new design, with the rear elevational view being identical thereto;

FIG. 38 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 39 is a top plan view thereof;

FIG. 40 is a bottom plan view thereof;

FIG. 41 is a front elevational view of the front member of the magnetic fastener shown in FIG. 37, detached from the rear member, with the rear elevational view being identical thereto;

FIG. 42 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 43 is a top plan view thereof corresponding to FIG. 39;

FIG. 44 is a bottom plan view thereof;

FIG. 45 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 37, detached from the front member, with the rear elevational view being identical thereto;

FIG. 46 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 47 is a top plan view thereof; and,

FIG. 48 is a bottom plan view thereof corresponding to FIG. 40.

The elements are shown detached for clarity of illustration.

1 Claim, 12 Drawing Sheets

FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

Nov. 18, 2003




FIG. 15




FIG. 14





FIG. 16



US D482,266 S

FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 27




FIG. 26




FIG. 28




FIG. 29

Nov. 18, 2003




FIG. 30




FIG. 31




FIG. 32




FIG. 33

Nov. 18, 2003




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 39




FIG. 38




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48

