



US00D482295S

(12) **United States Design Patent**  
**Chia et al.**

(10) **Patent No.:** **US D482,295 S**

(45) **Date of Patent:** **\*\* Nov. 18, 2003**

(54) **JEWELRY COMPONENT**

(76) Inventors: **Meang Chia**, 412 W. 6th St., Suite 1104, Los Angeles, CA (US) 90014;  
**Cheo Chia**, 412 W. 6th St., Suite 1104, Los Angeles, CA (US) 90014; **Huy Kim Chia**, 412 W. 6th St., Suite 1104, Los Angeles, CA (US) 90014

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/129,456**

(22) Filed: **Sep. 15, 2000**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/110,327, filed on Sep. 3, 1999, which is a continuation-in-part of application No. 29/098,058, filed on Dec. 21, 1998.

(51) **LOC (7) Cl.** ..... **11-01**

(52) **U.S. Cl.** ..... **D11/91**

(58) **Field of Search** ..... D11/1-27, 48,  
D11/76, 91, 93-94; 59/78-90, 92; 63/1.11-6.9,  
11, 20

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,173,427	A	*	2/1916	Hayman	.....	59/80
1,406,073	A	*	2/1922	Pfaus et al.	.....	59/80
1,441,556	A	*	1/1923	Bossner	.....	59/80
1,452,058	A	*	4/1923	Willis	.....	59/80
1,797,352	A	*	3/1931	Linhart	.....	59/80
1,901,345	A	*	3/1933	Carlson	.....	59/80
2,429,393	A	*	10/1947	Cedar	.....	63/5.1
3,368,344	A	*	2/1968	Graetz	.....	59/78
5,452,572	A	*	9/1995	Alvaro et al.	.....	59/80
5,531,065	A	*	7/1996	Rozenwasser	.....	59/80

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Ladas & Parry

(57) **CLAIM**

The ornamental design for a jewelry component, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a jewelry component showing our new design;  
 FIG. 2 is a top plan view of the first embodiment;  
 FIG. 3 is an enlarged partial cross sectional view taken along the line 3—3 in FIGS. 2, 6, 8, and 10 to show only the feature of the sloping top;  
 FIG. 4 is a front elevational view of the first, second, third and fourth embodiments, the rear, left, and right elevational views being identical images;  
 FIG. 5 is a perspective view of a second embodiment of a jewelry component showing our new design;  
 FIG. 6 is a top plan view of the second embodiment;  
 FIG. 7 is a perspective view of a third embodiment of a jewelry component showing our new design;  
 FIG. 8 is a top plan view of the third embodiment;  
 FIG. 9 is a perspective view of a fourth embodiment of a jewelry component showing our new design;  
 FIG. 10 is a top plan view of the fourth embodiment;  
 FIG. 11 is a perspective view of a fifth embodiment of a jewelry component showing our new design;  
 FIG. 12 is a top plan view of the fifth embodiment;  
 FIG. 13 is an enlarged partial cross sectional view taken along the line 13—13 in FIGS. 12, 16, 18, and 20 to show only the feature of the sloping top;  
 FIG. 14 is a front elevational view of the fifth, sixth, seventh and eighth embodiments, the rear, left, and right elevational views being identical images;  
 FIG. 15 is a perspective view of a sixth embodiment of a jewelry component showing our new design;  
 FIG. 16 is a top plan view of the sixth embodiment;  
 FIG. 17 is a perspective view of a seventh embodiment of a jewelry component showing our new design;  
 FIG. 18 is a top plan view of the seventh embodiment;  
 FIG. 19 is a perspective view of an eighth embodiment of a jewelry component showing our new design;  
 FIG. 20 is a top plan view of the eighth embodiment;  
 FIG. 21 is a perspective view of a ninth embodiment of a jewelry component showing our new design;




FIG. 22 is a top plan view of the ninth embodiment;  
FIG. 23 is an enlarged partial cross sectional view taken along the line 23—23 in FIG. 22 to show only the feature of the sloping top;  
FIG. 24 is a front elevational view of the ninth embodiment, the rear, left, and right elevational views being identical images;  
FIG. 25 is a perspective view of a tenth embodiment of a jewelry component showing our new design;  
FIG. 26 is a top plan view of the tenth embodiment;  
FIG. 27 is an enlarged partial cross sectional view taken along the line 27—27 in FIG. 26 to show only the feature of the sloping top;  
FIG. 28 is a front elevational view of the tenth, eleventh, twelfth, thirteenth and fourteenth embodiments, the rear, left, and right elevational views being identical images;  
FIG. 29 is a perspective view of an eleventh embodiment of a jewelry component showing our new design;  
FIG. 30 is a top plan view of the eleventh embodiment;  
FIG. 31 is an enlarged partial cross sectional view taken along the line 31—31 in FIGS. 30, 33, 35, and 37 to show only the feature of the sloping top;  
FIG. 32 is a perspective view of a twelfth embodiment of a jewelry component showing our new design;  
FIG. 33 is a top plan view of the twelfth embodiment;  
FIG. 34 is a perspective view of a thirteenth embodiment of a jewelry component showing our new design;

FIG. 35 is a top plan view of the thirteenth embodiment;  
FIG. 36 is a perspective view of a fourteenth embodiment of a jewelry component showing our new design;  
FIG. 37 is a top plan view of the fourteenth embodiment;  
FIG. 38 is a perspective view of a fifteenth embodiment of a jewelry component showing our new design;  
FIG. 39 is a top plan view of the fifteenth embodiment;  
FIG. 40 is a front elevational view of the fifteenth embodiment, the rear, left, and right elevational views being identical images;  
FIG. 41 is a front elevational view of the sixteenth, seventeenth, eighteenth, and nineteenth embodiments, the rear, left, and right elevational views being identical images;  
FIG. 42 is a perspective view of a sixteenth embodiment of a jewelry component showing our new design;  
FIG. 43 is a top plan view of the sixteenth embodiment;  
FIG. 44 is a perspective view of a seventeenth embodiment of a jewelry component showing our new design;  
FIG. 45 is a top plan view of the seventeenth embodiment;  
FIG. 46 is a perspective view of an eighteenth embodiment of a jewelry component showing our new design;  
FIG. 47 is a top plan view of the eighteenth embodiment;  
FIG. 48 is a perspective view of a nineteenth embodiment of a jewelry component showing our new design; and  
FIG. 49 is a top plan view of the nineteenth embodiment.

**1 Claim, 5 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23



FIG. 24




FIG. 25




FIG. 26




FIG. 27



FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 34




FIG. 36




FIG. 38




FIG. 33




FIG. 35




FIG. 37




FIG. 39



FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49