

(12) United States Design Patent (10) Patent No.: US D482,373 S ****** Nov. 18, 2003 Seymour et al. (45) **Date of Patent:**

- HOUSING FOR REFRIGERANT RECOVERY (54)SYSTEM
- Inventors: Adam Seymour, Miami, FL (US); (75)Gregory Shawn Sundheim, Bow Mar, CO (US)
- Assignee: Advanced Test Products, Inc., (73)Miramar, FL (US)

D377,179 S * 1/1997 Sundheim et al. D15/79 D449,842 S * 10/2001 Borre et al. D15/79 D474,209 S * 5/2003 Seymour et al. D15/79

* cited by examiner

Primary Examiner—Mitchell Siegel (74) Attorney, Agent, or Firm-Baker & Hostetler, LLP

CLAIM (57)

The ornamental design for a housing for refrigerant recovery system, as shown.

(**) Term: 14 Years

- Appl. No.: 29/167,890 (21)
- Sep. 24, 2002 (22)Filed:
- LOC (7) Cl. 15-07 (51)
- (52)
- Field of Search D15/79, 89; D9/527, (58)D9/531, 535; D23/207, 209, 332, 342; 62/77, 79, 149; 440/88; 137/315.01

References Cited (56)

U.S. PATENT DOCUMENTS

5,090,211 A	*	2/1992	Peters 62/149
5,101,637 A	≉	4/1992	Dailey 62/50.2
D344,527 S	*	2/1994	Drago et al D15/79
D358,548 S	*	5/1995	Platte D9/527
5,423,702 A	*	6/1995	Butler 440/88
5,540,254 A	*	7/1996	McGowan et al 137/315.01
D376,876 S	*	12/1996	McInnes D9/527

DESCRIPTION

FIG. 1 is a perspective view of the design for a housing for refrigerant recovery system in accordance with a first preferred embodiment of the present invention; FIG. 2 is a left elevational view of the housing for refrigerant recovery system of FIG. 1 (the right side being a mirror image of same); FIG. 3 is a top elevational view of the housing for refrigerant recovery system of FIG. 1; FIG. 4 is a bottom elevational view of the housing for refrigerant recovery system of FIG. 1; FIG. 5 is a front elevational view of the housing for refrigerant recovery system of FIG. 1; and, FIG. 6 is a back elevational view of the housing for refrigerant recovery system of FIG. 1.

1 Claim, 6 Drawing Sheets



U.S. Patent Nov. 18, 2003 Sheet 1 of 6 US D482,373 S

.



U.S. Patent Nov. 18, 2003 Sheet 2 of 6 US D482,373 S





U.S. Patent Nov. 18, 2003 Sheet 3 of 6 US D482,373 S



U.S. Patent US D482,373 S Nov. 18, 2003 Sheet 4 of 6



4 (ワ

U.S. Patent Nov. 18, 2003 Sheet 5 of 6 US D482,373 S



U.S. Patent Nov. 18, 2003 Sheet 6 of 6 US D482,373 S

