



US00D482585S

(12) **United States Design Patent** (10) **Patent No.:** **US D482,585 S**
Brass et al. (45) **Date of Patent:** **** Nov. 25, 2003**

(54) **BAR CLAMP**

(76) Inventors: **Robert L. Brass**, 45 Calhoun St.,
Washington, CT (US) 06794; **Steven W.**
Lewis, 120 Washington Ave.,
Woodbury, CT (US) 06798

(**) Term: **14 Years**

(21) Appl. No.: **29/179,563**

(22) Filed: **Apr. 10, 2003**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/72**

(58) **Field of Search** D8/71-72; 81/152,
81/150, 487; 269/6, 165, 166-170, 900

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,989,847 A * 2/1991 Chapman 269/170
5,197,360 A * 3/1993 Wooster, Jr. 81/487
D440,139 S * 4/2001 Mitchell D8/72

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Gregory A Andoll

(74) *Attorney, Agent, or Firm*—Ira S. Dorman

(57) **CLAIM**

The ornamental design for a bar clamp, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bar clamp of the invention;

FIG. 2 is a side elevational view of the bar clamp, the opposite side elevational view being a mirror image thereof;

FIG. 3 is a top plan view of the bar clamp;


FIG. 4 is a bottom view of the bar clamp;

FIG. 5 is a front view of the bar clamp; and,

FIG. 6 is a rear view of the bar clamp.

The broken away showing of the bar in FIGS. 2, 3 and 4 is for convenience of illustration.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6