

(12) United States Design Patent (10) Patent No.: US D482,666 S ** Nov. 25, 2003 (45) **Date of Patent:** Kamada

LIGHT EMITTING DIODE (LED) (54)

- Inventor: Kazuhiro Kamada, Anan (JP) (75)
- Assignee: Nichia Corporation, Anan (JP) (73)
- 14 Years (**)Term:
- Appl. No.: 29/161,376 (21)
- May 30, 2002 (22) Filed:

DESCRIPTION

- FIG. 1 is a perspective view of a LED showing my new design;
- FIG. 2 is a plan view of the LED according to the embodiment of FIG. 1;
- FIG. 3 is a front elevational view of the LED according to the embodiment of FIG. 1;
- FIG. 4 is a right view of the LED according to the embodiment of FIG. 1;

Foreign Application Priority Data (30)

Nov. 30, 2001	(JP)	•••••••••••••••	2001-035248
Nov. 30, 2001	(JP)	•••••••••••	2001-035249

- LOC (7) Cl. 13-03 (51)
- (52)
- Field of Search D10/104, 114; (58)D13/180, 182; D26/2; 257/98, 99; 362/241, 249, 250, 806; 372/45

(56) **References Cited U.S. PATENT DOCUMENTS**

4,152,624 A * 5/1979 Knaebel 313/499

D288,805 S * 3/1987 Nishizawa D13/180

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

JP	D798960	S	10/1990
JP	D799024	S	10/1990
JP	D799025	S	10/1990
JP	D799756	S	11/1990

FIG. 5 is a bottom plan view of the LED according to the embodiment of FIG. 1;

FIG. 6 is a rear view of the LED according to the embodiment of FIG. 1;

FIG. 7 is a plan view of a LED according to another embodiment of my new design;

FIG. 8 is a front elevational view of the LED according to the embodiment of FIG. 7;

FIG. 9 is a right view of the LED according to the embodiment of FIG. 7;

FIG. 10 is a bottom plan view of the LED according to the embodiment of FIG. 7;

FIG. 11 is a rear view of the LED according to the embodiment of FIG. 7;

FIG. 12 is a plan view of the LED according to yet another embodiment of my new design;

FIG. 13 is a front elevational view of the LED according to the embodiment of FIG. 12;

FIG. 14 is a right view of the LED according to the embodiment of FIG. 12;

FIG. 15 is a bottom plan view of the LED according to the embodiment of FIG. 12;

FIG. 16 is a rear view of the LED according to the embodiment of FIG. 12;

JP D924913 S 1/1996

OTHER PUBLICATIONS

LED/Photo IC L7140–10/S7141–10–50 Mbps, Product Guide, Jul. 2001, 2 pages, Cat. No. KPIC1039J04, Hamamatsu Hotonikusu Corporation, Japan.

Primary Examiner—Ted Shooman Assistant Examiner—Selina Sikder (74) Attorney, Agent, or Firm—Smith Patent Office (57)CLAIM

I claim the ornamental design for the light emitting diode (LED), as shown and described.

FIG. 17 is a plan view of a LED according to yet another embodiment of my new design;

FIG. 18 is a front elevational view of the LED according to the embodiment of FIG. 17;

FIG. 19 is a right view of the LED according to the embodiment of FIG. 17;

FIG. 20 is a bottom plan view of the LED according to the embodiment of FIG. 17; and,

FIG. 21 is a rear view of the LED according to the embodiment of FIG. 17.

1 Claim, 5 Drawing Sheets



US D482,666 S Page 2

U.S. PATENT DOCUMENTS

D289,037 S	*	3/1987	Nishizawa et al D13/180
5,266,817 A	≉	11/1993	Lin 257/89
5,564,819 A	*	10/1996	Yamaguchi 362/241

D432,095	S	≉	10/2000	Seeger et al D13/182
6,147,367	Α	*	11/2000	Yang et al 257/88
6,386,733	B 1	*	5/2002	Ohkohdo et al 362/249

* cited by examiner

U.S. Patent Nov. 25, 2003 Sheet 1 of 5 US D482,666 S



U.S. Patent US D482,666 S Nov. 25, 2003 Sheet 2 of 5











FIG. 5



U.S. Patent US D482,666 S Nov. 25, 2003 Sheet 3 of 5



FIG. 7







FIG. 10



U.S. Patent US D482,666 S Nov. 25, 2003 Sheet 4 of 5



FIG. 12











U.S. Patent US D482,666 S Nov. 25, 2003 Sheet 5 of 5



FIG. 17







FIG. 18 FIG. 19

