



US00D482730S

(12) **United States Design Patent**  
**Cochrane**

(10) **Patent No.:** **US D482,730 S**

(45) **Date of Patent:** **\*\* Nov. 25, 2003**

(54) **ELEMENT FOR AN ADVISORY MESSAGE DISPLAY DEVICE**

(76) Inventor: **Jon H. Cochrane**, 525 Cushmore Rd.,  
Southampton, PA (US) 18966

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/179,366**

(22) Filed: **Apr. 9, 2003**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/151,216, filed on  
Nov. 2, 2001, now Pat. No. Des. 474,812.

(51) **LOC (7) Cl.** ..... **20-03**

(52) **U.S. Cl.** ..... **D20/31**

(58) **Field of Search** ..... D20/10, 11, 13,  
D20/15, 19, 20, 25, 29, 31, 32, 40, 41,  
42, 99; 40/1, 218, 124.02, 124.04, 591,  
593

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |   |        |          |       |        |
|------------|---|--------|----------|-------|--------|
| D344,293 S | * | 2/1994 | Wegrzyn  | ..... | D20/42 |
| D394,459 S | * | 5/1998 | Horner   | ..... | D20/42 |
| D474,812 S | * | 5/2003 | Cochrane | ..... | D20/31 |

\* cited by examiner

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Caesar, Rivise, Bernstein,  
Cohen & Pokotilow, Ltd.

(57) **CLAIM**

The ornamental design for an element for an advisory message display device, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an element for an advisory message display device, showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front elevational view thereof, shown in an alternate environment of use;

FIG. 8 is a front elevational view thereof, shown in another alternate environment of use;

FIG. 9 is a front elevational view thereof, shown in another alternate environment of use;

FIG. 10 is a front elevational view thereof, shown in another alternate environment of use;

FIG. 11 is a front elevational view thereof, shown in another alternate environment of use;

FIG. 12 is a front elevational view of a second embodiment of an element for an advisory message display device, showing my new design;

FIG. 13 is a rear elevational view thereof;

FIG. 14 is a left side elevational view thereof;

FIG. 15 is a right side elevational view thereof;

FIG. 16 is a top plan view thereof;

FIG. 17 is a bottom plan view thereof;

FIG. 18 is a front elevational view thereof, shown in an alternate environment of use;



FIG. 19 is a front elevational view thereof, shown in another alternate environment of use;

FIG. 20 is a front elevational view thereof, shown in another alternate environment of use;



FIG. 21 is a front elevational view thereof, shown in another alternate environment of use; and,

FIG. 22 is a front elevational view thereof, shown in another alternate environment of use.

**1 Claim, 8 Drawing Sheets**



**FIG. 1**



**FIG. 2**

**FIG. 3**



**FIG. 4**





**FIG. 5**





**FIG. 6**

**FIG. 7**




**FIG. 8**

**FIG. 9**





**FIG. 10**



**FIG. 11**

**FIG.12**




**FIG.13**

**FIG.14**



**FIG.15**





**FIG.16**



**FIG.17**


**FIG.18**





**FIG.19**



**FIG. 20**



**FIG. 21**



**FIG. 22**