



US00D482790S

(12) **United States Design Patent**
Nakagawa

(10) **Patent No.:** **US D482,790 S**

(45) **Date of Patent:** **** Nov. 25, 2003**

(54) **SPHYGMOMANOMETER**

(75) **Inventor:** **Satoshi Nakagawa**, Suginami-ku (JP)

(73) **Assignee:** **Citizen Tokei Kabushiki Kaisha**,
Tokyo (JP)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/171,325**

(22) **Filed:** **Nov. 21, 2002**

(30) **Foreign Application Priority Data**

May 30, 2002 (JP) 2002-014465

(51) **LOC (7) Cl.** **24-01**

(52) **U.S. Cl.** **D24/165**

(58) **Field of Search** D24/165; 600/479,
600/480, 485, 492-495, 500, 513

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D277,133 S * 1/1985 Houlihan D24/165
- D286,437 S * 10/1986 Nishibori D24/165
- D344,338 S * 2/1994 Yoshikawa et al. D24/165

- D345,607 S * 3/1994 Sodeoka et al. D24/165
- D403,770 S * 1/1999 Ozaki et al. D24/165
- D473,308 S * 4/2003 Nakanishi D24/165

* cited by examiner

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a sphygmomanometer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sphygmomanometer, showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.
 The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

