



US00D482792S

(12) **United States Design Patent**
McCormick et al.

(10) **Patent No.:** **US D482,792 S**

(45) **Date of Patent:** **** Nov. 25, 2003**

- (54) **ANKLE BRACE**
- (75) Inventors: **Scott D. McCormick**, Cincinnati, OH (US); **Sherry Hinds**, Goshen, OH (US)
- (73) Assignee: **Beiersdorf, Inc.**, Wilton, CT (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/162,667**
- (22) Filed: **Jun. 18, 2002**
- (51) **LOC (7) Cl.** **24-04**
- (52) **U.S. Cl.** **D24/192**
- (58) **Field of Search** D24/192, 190;
602/23, 27, 62, 65, 5, 6

- 5,657,767 A 8/1997 Nelson et al.
- 5,713,837 A 2/1998 Grim et al.
- 5,741,222 A 4/1998 Fiore
- 5,795,316 A 8/1998 Gaylord
- D397,797 S * 9/1998 Chiang D24/192
- 5,833,639 A 11/1998 Nunes et al.
- 5,833,640 A 11/1998 Vazquez, Jr. et al.
- D403,776 S 1/1999 Brennan
- 5,868,693 A 2/1999 Duback et al.
- 5,899,872 A 5/1999 Gilmour
- D412,581 S 8/1999 Brennan
- 5,944,678 A 8/1999 Hubbard
- 6,024,712 A 2/2000 Iglesias et al.
- 6,117,098 A 9/2000 Weber et al.
- 6,126,626 A 10/2000 Duback et al.
- 6,126,627 A 10/2000 Brennan
- D454,200 S * 3/2002 Lamping et al. D24/192

* cited by examiner

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 3,050,053 A 8/1962 Peckham
- 3,073,305 A 1/1963 Biggs, Jr. et al.
- 3,506,000 A * 4/1970 Baker 602/65
- 4,378,793 A 4/1983 Mauldin et al.
- 4,414,965 A 11/1983 Mauldin et al.
- 4,446,856 A 5/1984 Jordan
- 4,572,169 A 2/1986 Mauldin et al.
- 4,651,726 A 3/1987 Holland
- 4,729,370 A 3/1988 Kallassy
- 4,878,504 A 11/1989 Nelson
- 4,998,537 A 3/1991 Rau
- 5,067,486 A 11/1991 Hely
- 5,090,404 A * 2/1992 Kallassy 602/65
- 5,352,189 A 10/1994 Schumann et al.
- 5,393,303 A 2/1995 Shiono
- 5,472,411 A 12/1995 Montag et al.
- 5,472,414 A 12/1995 Detty
- 5,620,411 A 4/1997 Schumann et al.
- 5,620,413 A 4/1997 Olson

Primary Examiner—Stella Reid
(74) *Attorney, Agent, or Firm*—Alston & Bird LLP


(57) **CLAIM**

The ornamental design for an ankle brace, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an ankle brace, showing our new design, in use condition;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front perspective view thereof, in open condition; and,
FIG. 4 is a front perspective view of an alternative arrangement, in use condition.
The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.