



US00D482881S

(12) **United States Design Patent** (10) **Patent No.:** **US D482,881 S**
Murphy (45) **Date of Patent:** **** Dec. 2, 2003**

(54) **VEHICLE SEAT**

D426,392 S * 6/2000 Ott et al. D6/356
D428,719 S * 8/2000 Fick et al. D6/356
D442,376 S * 5/2001 Norman D6/356

(75) Inventor: **Matthew T. Murphy**, Elkhorn, WI
(US)

OTHER PUBLICATIONS

(73) Assignee: **Milsco Manufacturing**, Milwaukee, WI
(US)

XB-110 All-Purpose Seat specifications, 1996.*
XB-150 All-Purpose Seat specifications, 1996.*
SB-180 All-Purpose Seat specifications, 1996.*
XR-210 All-Purpose Seat specifications, 1996.
Product No. D1200-1 Style specifications, 1979.
XS-100 Heavy-Duty Bucket Seat specifications, 1958.
XS-200 Bucket Seat specifications, 1972.
XE-100 Folding Seat specifications, 1972.
CR-100 Low-Profile Suspension Seat specifications, 1996.
CR-200 Low-Profile Suspension Seat with Height Adjust specifications, 1998.
CA100 Back Mounted Suspension & Seat specifications, 1991.
CA-300 Suspension Seat specifications, 1998.
CA-150 Suspension Seat specifications, 1994.
XL-100 Deluxe Adjustable Seat specifications, 1998.

(**) Term: **14 Years**

(21) Appl. No.: **29/170,399**

(22) Filed: **Nov. 6, 2002**

(51) **LOC (7) Cl.** **06-01**

(52) **U.S. Cl.** **D6/356**

(58) **Field of Search** D6/334, 335, 336,
D6/356, 366, 367, 368, 374, 375, 500-502;
297/232, 239, 284.1, 344.1, 353, 367, 373,
391, 452.1, 452.21, 452.25, 452.29, 452.3

(56) **References Cited**

U.S. PATENT DOCUMENTS

635,234 A * 10/1899 Chance D6/354
1,256,453 A * 2/1918 Evans 297/219
2,017,178 A * 10/1935 Braukhof 297/219
D171,210 S * 12/1953 Jones D6/375
3,220,771 A * 11/1965 Doss, Sr. 297/411
D216,576 S * 2/1970 Hill D6/354
D218,028 S * 7/1970 Lohr D6/367
D237,330 S * 10/1975 Skyer et al. D6/334
D249,102 S * 8/1978 Pelly D6/48
D261,450 S * 10/1981 Jenkins D6/354
D282,035 S * 1/1986 Roney D6/502
D288,386 S * 2/1987 Yorozu D6/356
D289,706 S * 5/1987 Talmon et al. D6/356
D293,394 S * 12/1987 Holcomb D6/354
D326,960 S * 6/1992 Stulik D6/356
D330,118 S * 10/1992 Lanuis et al. D6/356
D332,181 S * 1/1993 Sacco et al. D6/356
D356,694 S * 3/1995 Armbrecht D6/356
D358,262 S * 5/1995 Smoczynski D6/356
D362,126 S * 9/1995 Carter D6/356
D388,966 S * 1/1998 Beermann et al. D6/356
D391,087 S * 2/1998 Sacco et al. D6/356
D396,152 S * 7/1998 Beermann et al. D6/356
D411,377 S * 6/1999 Sacco et al. D6/356
D411,690 S * 6/1999 Kneip et al. D6/356

* cited by examiner

Primary Examiner—Doris V. Coles
Assistant Examiner—Mimosa De
(74) *Attorney, Agent, or Firm*—Boyle Fredrickson
Newholm Stein & Gratz S.C.


(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a vehicle seat in accordance with the present invention;
FIG. 2 is a front elevational view of the vehicle seat;
FIG. 3 is a right side elevational view of the vehicle seat;
FIG. 4 is a back elevational view of the vehicle seat;
FIG. 5 is a top plan view of the vehicle seat; and,
FIG. 6 is a bottom plan view of the vehicle seat.
The left side elevation view comprises a mirror image of the right side elevational view depicted in FIG. 3.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6