



US00D482967S

(12) **United States Design Patent**
Bourque et al.

(10) **Patent No.:** **US D482,967 S**

(45) **Date of Patent:** **** Dec. 2, 2003**

(54) **CAP**

(75) Inventors: **Raymond A. Bourque**, Plymouth, MA (US); **Robert F. Kleinrath**, Hanover, MA (US); **John M. McComb**, Chicago, IL (US); **Stephen J. Kras**, Chicago, IL (US)

(73) Assignee: **Ocean Spray Cranberries, Inc.**, Lakeville-Middleboro, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/156,978**

(22) Filed: **Mar. 11, 2002**

(51) **LOC (7) Cl.** **09-07**

(52) **U.S. Cl.** **D9/435; D9/454; D9/453; D9/452**

(58) **Field of Search** D9/435, 443, 454, D9/452, 453, 353; D23/213; 220/288; 215/309, 319, 316, 318, 321, 341, 343-351

(56) **References Cited**

U.S. PATENT DOCUMENTS

D53,911 S	10/1919	Humphrey	
D89,809 S	* 5/1933	Von Till	D9/453
D93,650 S	* 10/1934	Fleisch	D9/453
1,981,414 A	11/1934	Hermani	
D95,675 S	* 5/1935	Fuerst	D9/453
D96,766 S	* 9/1935	Kronman	D9/453
D99,327 S	* 4/1936	Howie et al.	D9/453
D101,623 S	10/1936	Fleisch	
D105,858 S	* 8/1937	Fleisch	D9/453
D136,439 S	10/1943	Tatro	
D136,440 S	10/1943	Tatro	
D138,312 S	7/1944	Derham	
D202,938 S	* 11/1965	Danks	D9/453
D257,740 S	* 12/1980	Humphrey, II et al.	D23/213
D266,906 S	* 11/1982	Guerette	D9/453
D267,547 S	* 1/1983	Nightingale, III	D9/453
D276,027 S	* 10/1984	Albert et al.	D9/452
D289,143 S	* 4/1987	Guillaume	D9/353
D291,868 S	* 9/1987	Hindle	D9/453
D309,863 S	8/1990	Baxter	

D318,618 S	7/1991	Scarpa et al.	
5,080,246 A	1/1992	Hayes	
D354,914 S	* 1/1995	Newman	D9/503
5,487,481 A	1/1996	Sander et al.	
D449,537 S	10/2001	Feigenbaum	
D465,731 S	* 11/2002	Brant et al.	D9/453

OTHER PUBLICATIONS

Fig. 79 of the papers as originally filed.*

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Gregory Andoll

(74) *Attorney, Agent, or Firm*—Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a cap, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;

FIG. 2 is a top view of the cap design of FIG. 1;

FIG. 3 is a bottom view of the cap designs of FIGS. 1, and 6, shown without the tamper-evidence band;

FIG. 4 is a side view of the cap design of FIG. 1;

FIG. 5 is another side of the cap design of FIG. 1;

FIG. 6 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;

FIG. 7 is a top view of the cap design of FIG. 6;

FIG. 8 is a side view of the cap design of FIG. 6;

FIG. 9 is another side view of the cap design of FIG. 6;

FIG. 10 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;

FIG. 11 is a top view of the cap design of FIG. 10;

FIG. 12 is a bottom view of the cap designs of FIGS. 10, and 15, shown without the tamper-evidence band;

FIG. 13 is a side view of the cap design of FIG. 10;

FIG. 14 is another side of the cap design of FIG. 10;

FIG. 15 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;




FIG. 16 is a top view of the cap design of FIG. 15;
FIG. 17 is a side view of the cap design of FIG. 15;
FIG. 18 is another side view of the cap design of FIG. 15;
FIG. 19 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;
FIG. 20 is a top view of the cap design of FIG. 19;
FIG. 21 is a bottom view of the cap designs of FIGS. 19, and 24, shown without the tamper-evidence band
FIG. 22 is a side view of the cap design of FIG. 19;
FIG. 23 is another side of the cap design of FIG. 19;
FIG. 24 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;
FIG. 25 is a top view of the cap design of FIG. 24;
FIG. 26 is a side view of the cap design of FIG. 24;
FIG. 27 is another side view of the cap design of FIG. 24;
FIG. 28 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;
FIG. 29 is a top view of the cap design of FIG. 28;
FIG. 30 is a bottom view of the cap designs of FIGS. 28, and 33, shown without the tamper-evidence band;
FIG. 31 is a side view of the cap design of FIG. 28;
FIG. 32 is another side of the cap design of FIG. 28;

FIG. 33 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;
FIG. 34 is a top view of the cap design of FIG. 33;
FIG. 35 is a side view of the cap design of FIG. 33;
FIG. 36 is another side view of the cap design of FIG. 33;
FIG. 37 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;
FIG. 38 is a top view of the cap design of FIG. 37;
FIG. 39 is a bottom view of the cap designs of FIGS. 37, and 42, shown without the tamper-evidence band;
FIG. 40 is a side view of the cap design of FIG. 37;
FIG. 41 is another side of the cap design of FIG. 37;
FIG. 42 is a perspective view of another embodiment of the cap design of the invention, with a tamper-evidence band shown in dotted lines;
FIG. 43 is a top view of the cap design of FIG. 42;
FIG. 44 is a side view of the cap design of FIG. 42;
FIG. 45 is another side view of the cap design of FIG. 42.
The broken lines in the Figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 25 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45