



US00D483020S

(12) **United States Design Patent**
Nagao et al.

(10) Patent No.: **US D483,020 S**

(45) Date of Patent: **** Dec. 2, 2003**

(54) **MONITOR/TELEVISION RECEIVER**

(75) Inventors: **Takayasu Nagao**, Osaka (JP);
Tatsuyoshi Asawa, Higashiosaka (JP);
Seigo Takahashi, Takatsuki (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/171,776**

(22) Filed: **Nov. 27, 2002**

(30) **Foreign Application Priority Data**

May 31, 2002 (JP) 2002-014715
May 31, 2002 (JP) 2002-014719

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/126**

(58) **Field of Search** D14/125-136,
D14/239, 371, 374-377; 312/7.2; 348/836,
838, 180, 184, 325, 739; 341/12; 248/917-924;
345/104, 133, 156, 168, 87, 173

(56) **References Cited**

U.S. PATENT DOCUMENTS

D411,522 S * 6/1999 Chuo et al. D14/375
D457,864 S * 5/2002 Bong et al. D14/126
D472,532 S * 4/2003 Niitsu D14/126
D474,163 S * 5/2003 Araki D14/126
D474,452 S * 5/2003 Kanatani D14/126
D476,632 S * 7/2003 Inoue et al. D14/126

FOREIGN PATENT DOCUMENTS

JP D1066089 4/2000
JP D1075592 6/2000
JP D971355/1 6/2000
JP D1092078 11/2000

* cited by examiner

Primary Examiner—Raphael Barkai
(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione



(57) **CLAIM**

The ornamental design for a monitor/television receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a monitor/television receiver of the present invention; FIG. 2 is a rear perspective view thereof in which the broken line portion of the monitor/television receiver in this and the following figures is for illustrative purposes only and forms no part of the claimed design; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a first side view thereof; FIG. 6 is a second side view thereof; FIG. 7 is a top view thereof; FIG. 8 is a bottom view thereof; FIG. 9 is a rear perspective view thereof in which the handle, which was hidden in FIG. 2, is fully extended. FIG. 10 is a front perspective view of a second embodiment of the monitor/television receiver of the present invention; FIG. 11 is a rear perspective view thereof; FIG. 12 is a front view thereof; FIG. 13 is a rear view thereof; FIG. 14 is a first side view thereof; FIG. 15 is a second side view thereof; FIG. 16 is a top view thereof; FIG. 17 is a bottom view thereof; and, FIG. 18 is a rear perspective view thereof in which the handle, which was hidden in FIG. 11, is fully extended.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18