



US00D483322S

(12) **United States Design Patent** (10) **Patent No.:** **US D483,322 S**  
**Knowles et al.** (45) **Date of Patent:** **\*\* Dec. 9, 2003**

(54) **TIRE TREAD**

(75) Inventors: **James DeWitt Knowles**, Simpsonville, SC (US); **Alan Defazio**, Piedmont, SC (US); **Stephen Lash**, Simpsonville, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.** (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/162,996**

(22) Filed: **Jun. 25, 2002**

(51) **LOC (7) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/601**

(58) **Field of Search** ..... D12/547, 549, D12/550, 560, 561, 566, 567, 582, 584, 585, 596, 602, 603; 152/209.1, 209.9, 209.13, 209.25, 209.28

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D379,443 S	*	5/1997	Arendt et al.	.....	D12/550
D379,785 S	*	6/1997	Galante et al.	.....	D12/597
D398,891 S		9/1998	McKisson	.....	D12/147
D398,892 S		9/1998	Williams	.....	D12/147
D411,973 S		7/1999	Williams et al.	.....	D12/147
D429,477 S	*	8/2000	Williams	.....	D12/590
D475,344 S	*	6/2003	Tsubono	.....	D12/603

**OTHER PUBLICATIONS**

Hankook Dynamic AT RF03 Tire, 2001 Tread Design Guide, Jan. 2001, p. 92, 3/3.\*  
Tread design Guide, 1997, p. 57, Nitto NT-500.

Tread design Guide, 1997, p. 21, Cordovan Grand Esprit Radial HP130.

Tread design Guide, 2001, p. 23, Continental/Tag Touring LX.

Tread Design Guide, 2001, p. 42, Kumho Ecsta HP4.

Tread Design Guide, 2001, p. 43, Kumho Solus Comfort.

Tread Design Guide, 2001, p. 47, Merit DHII 60/65.

\* cited by examiner

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Robert R. Reed; Christopher P. Crecente; Martin Farrell

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that a tread pattern is repeated over the outer circumference of the tread width and adjacent shoulders of the tire, the opposite side perspective view being identical thereto; and,


FIG. 2 is an enlarged fragmentary front elevation view of the tread pattern of FIG. 1; and,

FIG. 3 is an enlarged fragmentary front elevation view of another embodiment of the tire tread.


In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown along the right edge of FIG. 1. The broken line disclosure of a tire sidewall and inner bead are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






*Fig. 1*



*Fig. 2*



*Fig. 3*