



US00D483348S

(12) **United States Design Patent**
Nishii et al.

(10) **Patent No.:** **US D483,348 S**

(45) **Date of Patent:** **** Dec. 9, 2003**

(54) **RADIO TRANSMITTER-RECEIVER**

D350,134 S * 8/1994 Kanno D14/188
D351,169 S * 10/1994 Leung D14/188
D398,605 S * 9/1998 Murray et al. D14/188

(75) Inventors: **Hiroki Nishii**, Kanagawa (JP);
Yoshihiko Asai, Tokyo (JP); **Masahiko**
Moriwaki, Kanagawa (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Matsushita Electric Industrial Co.,**
Ltd., Osaka (JP)

JP 1101291 2/2001

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/173,902**

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Christensen O'Connor
Johnson Kindness PLLC

(22) Filed: **Jan. 7, 2003**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a radio transmitter-receiver, as shown and described.

Jul. 10, 2002 (JP) 2002-018517

DESCRIPTION

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/188**

(58) **Field of Search** D14/188, 198,
D14/168-172, 183, 184; 455/347, 350,
351, 352, 73, 78, 575, 90, 91-95

FIG. 1 is a perspective view of the top, front and left side of a radio transmitter-receiver showing our new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a bottom view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,716 S * 6/1989 Ohzu D14/188
D321,880 S * 11/1991 Emmerling D14/188

1 Claim, 3 Drawing Sheets




FIG. 1




FIG.3




FIG.2




FIG.4



FIG.5




FIG.6




FIG.7

