



US00D483434S

(12) **United States Design Patent**
White

(10) **Patent No.:** **US D483,434 S**

(45) **Date of Patent:** **** Dec. 9, 2003**

(54) **ANCHOR FOR FLOATING DECOY**

(76) **Inventor:** **Ronald J. White**, 2832 Howard Dr.,
Redding, CA (US) 96001

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/177,865**

(22) **Filed:** **Mar. 17, 2003**

(51) **LOC (7) Cl.** **22-05**

(52) **U.S. Cl.** **D22/125**

(58) **Field of Search** D22/125; 43/3,
43/2, 1, 4; 114/311, 210, 294; 294/82.11;
D12/215; 119/793, 714

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,879,991	A	*	9/1932	Pratt	119/714
2,589,913	A	*	3/1952	Wenner	114/294
2,630,093	A	*	3/1953	Toal	114/294
2,711,607	A	*	6/1955	Watson	43/3
2,747,315	A	*	5/1956	Clemas	43/3
3,867,905	A	*	2/1975	Vail, Jr.	119/793
D244,772	S	*	6/1977	Zongker	D12/215
D259,035	S	*	4/1981	Greenhawk, Sr.	D12/215

5,168,650	A	*	12/1992	Martin	43/3
D348,716	S	*	7/1994	Sbrocchi	D22/125
D360,169	S	*	7/1995	Gazalski	D12/215

* cited by examiner

Primary Examiner—Catherine R. Oliver
(74) *Attorney, Agent, or Firm*—Heisler & Associates

(57) **CLAIM**


The ornamental design for an anchor for floating decoy, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the anchor for floating decoy; FIG. 2 is a right side view of the invention, the left side view being a mirror image; FIG. 3 is a front elevation view of the invention, the rear elevation view being a mirror image; FIG. 4 is a top plan view of the invention; FIG. 5 is a bottom plan view of the invention; and, FIG. 6 is a perspective view of the invention in use attached to a floating decoy.

The broken lines in FIGS. 1-3 and 6 are for purposes of illustration only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 4




Fig. 5




Fig. 3




Fig. 6