



US00D483545S

(12) **United States Design Patent**
Hostetler

(10) **Patent No.:** **US D483,545 S**

(45) **Date of Patent:** **** Dec. 9, 2003**

(54) **MAILBOX ASSEMBLY HAVING A BIFURCATED POST**

(76) Inventor: **Jacob T. Hostetler**, 8500 Bell Rd.,
Adamsville, OH (US) 43802

(**) Term: **14 Years**

(21) Appl. No.: **29/176,942**

(22) Filed: **Feb. 28, 2003**

(51) **LOC (7) Cl.** **99-00**

(52) **U.S. Cl.** **D99/30**

(58) **Field of Search** D99/29, 30, 31,
D99/32; 232/14, 17, 24, 29, 35, 39; 248/145,
146; D34/1.1; 110/235; 126/512; 221/5

(56) **References Cited**

U.S. PATENT DOCUMENTS

829,372 A	8/1906	Eichhorn	
D76,114 S	8/1928	Ayers	D34/1.1
1,725,909 A	8/1929	Goldsmith	110/235
D118,711 S	1/1940	Poole	
2,992,503 A	7/1961	Webb	
3,767,111 A	10/1973	Pattengill	232/17
D244,257 S	5/1977	Godo et al.	D9/31
4,588,123 A	5/1986	Plew	232/39
4,660,757 A	4/1987	Hicks	232/1 C
4,813,595 A	3/1989	Johns, Jr. et al.	232/17
D314,054 S	1/1991	Meyer	D25/126
5,035,356 A	7/1991	Granger	232/17
5,069,200 A	12/1991	Thow et al.	126/512
D331,481 S	12/1992	Barlow	D99/30
D344,842 S	3/1994	Mitchell	D99/32
D354,611 S	1/1995	Hazlett	D99/30
5,413,248 A	5/1995	Scott	222/51
D360,741 S	7/1995	Bolzmann	D99/30
D385,680 S	10/1997	Cacciola et al.	D99/29
D390,328 S	2/1998	Barton, Jr.	D99/32
D402,783 S	12/1998	Lamolinara	D99/30
D426,045 S	5/2000	Bien	D99/30

D427,412 S	6/2000	Klein	D99/30
6,223,982 B1	5/2001	Dunn	232/39
D460,599 S	7/2002	Wrob	D99/30
D476,462 S	* 6/2003	Hostetler	D99/30
D478,200 S	* 8/2003	Hostetler	D99/30
D478,201 S	* 8/2003	Hostetler	D99/30

OTHER PUBLICATIONS

Home, "Shoptalk" Special Delivery Feb. 1996.*

* cited by examiner

Primary Examiner—Paula A. Mortimer

(74) *Attorney, Agent, or Firm*—Renner, Kenner, Greive,
Bobak, Taylor & Weber

(57) **CLAIM**

The ornamental design for a mailbox assembly having a bifurcated post, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevational view of a mailbox assembly having a bifurcated post showing my new design;
 FIG. 2 is a left side elevational view of the mailbox assembly;
 FIG. 3 is a front elevational view of the mailbox assembly;
 FIG. 4 is a top plan view;
 FIG. 5 is a rear elevational view;
 FIG. 6 is a right side elevational view of an alternative embodiment of the mailbox assembly having a bifurcated post showing my new design;
 FIG. 7 is a left side elevational view of the alternative mailbox assembly;
 FIG. 8 is a front elevational view of the alternative mailbox assembly;
 FIG. 9 is a top plan view of the alternative mailbox assembly; and,
 FIG. 10 is a rear elevational view of the alternative mailbox assembly.

1 Claim, 6 Drawing Sheets






FIG. - 1




FIG.-2




FIG.-4




FIG.-3




FIG.-5




FIG. - 6




FIG.-7

FIG.-9




FIG.-8




FIG.-10

