



US00D483576S

(12) **United States Design Patent**
Kassai et al.

(10) **Patent No.:** **US D483,576 S**

(45) **Date of Patent:** **** Dec. 16, 2003**

(54) **CHILD SEAT FOR AUTOMOBILE**

(75) Inventors: **Kenzou Kassai**, Osaka (JP); **Keiji Inoue**, Osaka (JP); **Atsuyoshi Yoshida**, Osaka (JP)

(73) Assignee: **Aprica Kassai Kabushikikaisha**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/180,295**

(22) Filed: **Apr. 21, 2003**

(30) **Foreign Application Priority Data**

Nov. 1, 2002 (JP) 2002-030023

(51) **LOC (7) Cl.** **06-01**

(52) **U.S. Cl.** **D6/333**

(58) **Field of Search** D6/333, 334, 335, D6/336, 356, 367, 368, 500-502; D12/129; 297/250.1, 256.12, 256.13, 256.15, 253, 254, 255, 467, 468, 487, 488

(56) **References Cited**

U.S. PATENT DOCUMENTS

D311,281 S * 10/1990 Meeker D6/333

D319,543 S * 9/1991 Takahashi et al. D6/333

D338,343 S * 8/1993 Grange D6/333

D366,965 S * 2/1996 Meeker et al. D6/333

D427,785 S * 7/2000 Kassai D6/333

D450,935 S * 11/2001 Dranschak et al. D6/333

* cited by examiner

Primary Examiner—Doris V. Coles

Assistant Examiner—Mimosa De

(74) *Attorney, Agent, or Firm*—W. F. Fasse; W. G. Fasse

(57) **CLAIM**

The ornamental design for a child seat for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a child seat for automobile showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

The fragmented cross-hatching shown in all views is understood to represent fabric and would be continuous throughout the circumscribed areas.

1 Claim, 4 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7

