

### (12) United States Design Patent (10) Patent No.: US D483,743 S Vosse (45) Date of Patent: \*\* Dec. 16, 2003

#### (54) SPEAKER TRANSDUCER HOUSING

- (75) Inventor: Mary C. Vosse, Culver City, CA (US)
- (73) Assignee: Harman International Industries, Incorporated, Northridge, CA (US)
- (\*\*) Term: 14 Years

(21) Appl. No.: **29/168,818** 

D282,163 S	1/1986	Seebinger
D400,884 S	11/1998	Christie, II
D419,561 S	1/2000	Haase et al.
D432,118 S	* 10/2000	Honnert D14/216
D451,087 S	11/2001	Moro et al.

\* cited by examiner

Primary Examiner—Nanda Bondade (74) Attorney, Agent, or Firm—Plumsea Law Group, LLC

(57) CLAIM

(22) Filed: Oct. 10, 2002

(56) References CitedU.S. PATENT DOCUMENTS

D225,069 S \* 11/1972 May ..... D14/216 4,143,249 A \* 3/1979 Cinquino ...... 381/389 4,252,211 A 2/1981 Matsuda et al. The ornamental design for a speaker transducer housing, as shown and described.

#### DESCRIPTION

FIG. 1 is a perspective view of a speaker transducer housing showing my new design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a front elevational view, the rear elevational view being a mirror image thereof; and,
FIG. 5 is a side elevational view, the opposite side elevational view being a mirror image thereof.

#### 1 Claim, 3 Drawing Sheets



## U.S. Patent Dec. 16, 2003 Sheet 1 of 3 US D483,743 S



*FIG.* 1

# U.S. Patent Dec. 16, 2003 Sheet 2 of 3 US D483,743 S



*FIG.* 3

# U.S. Patent Dec. 16, 2003 Sheet 3 of 3 US D483,743 S



*FIG.* 4



### *FIG.* 5