



US00D484264S

(12) **United States Design Patent**
Dalton et al.

(10) **Patent No.:** **US D484,264 S**

(45) **Date of Patent:** **** Dec. 23, 2003**

(54) **LIGHTING DEVICE**

(75) Inventors: **David R. Dalton**, Turrumurra (AU);
Timothy J. Rugendyke, Woy Woy (AU);
Michael Squires, Ryde (AU);
John R. Brown, Mosman (AU)

(73) Assignee: **Eveready Battery Company, Inc.**, St. Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/178,383**

(22) Filed: **Mar. 25, 2003**

(30) **Foreign Application Priority Data**

Dec. 24, 2002 (AU) 4090/02

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37**

(58) **Field of Search** D26/37-50; 362/157,
362/158, 171, 172, 173, 183-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D447,585 S * 9/2001 Dalton et al. D26/37
D476,437 S * 6/2003 Dalton et al. D26/37

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

We claim the ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a view showing a front end, top and a first side of the lighting device of the present invention, with the broken line showing for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a view showing the top of the lighting device of the present invention;

FIG. 3 is a view of a first side of the lighting device of the present invention;


FIG. 4 is a view of the bottom of the lighting device of the present invention;

FIG. 5 is a view of a second side of the lighting device of the present invention;

FIG. 6 is a view of the front end of the lighting device of the present invention; and,

FIG. 7 is a view of the back end of the lighting device of the present invention.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7