

US00D484392S

# (12) United States Design Patent (10) Patent No.:

Mayo et al.

US D484,392 S

# (45) Date of Patent:

\*\* Dec. 30, 2003

## SCREWLESS FACEPLATE

Inventors: Noel Mayo, Philadelphia, PA (US); Jason O. Adams, Emmaus, PA (US); Carl W. Gomes, Ocean, NJ (US); Elliot G. Jacoby, Glenside, PA (US); Roland L. Ledyard, Bethlehem, PA

(US); Joel S. Spira, Coopersburg, PA (US)

D8/353; D13/177; 40/798; 439/536; 220/341,

Assignee: Lutron Electronics Co., Inc.,

Coopersburg, PA (US)

14 Years Term:

Appl. No.: 29/151,493

Filed: Nov. 13, 2001

(51)

(52)(58)

342; 174/55–6, 66–7

#### **References Cited** (56)

### U.S. PATENT DOCUMENTS

1,829,422	A	*	10/1931	Seltzer 220/241
2,740,873	A	*	4/1956	Cronk
3,113,174	A	*	12/1963	Spiteri 174/67
3,513,356	A	*	5/1970	Friedman
4,737,609	A	*	4/1988	Yuhasz et al 174/55
4,803,380	A		2/1989	Jacoby, Jr. et al 307/157
4,835,343	A		5/1989	Graef et al
D337,755	S		7/1993	Rowen et al D13/170
5,675,125	A		10/1997	Hollinger
6,186,826	<b>B</b> 1	*	2/2001	Weikle 439/536
6,218,617	<b>B</b> 1	*	4/2001	Estanislao et al 174/66

# OTHER PUBLICATIONS

Jackson Deerfield brochure; p. 4; standard configurations of switchplates.\*

NEMA Standards Publication No. ANSI/NEMA WD Jun. 2001, Wiring Devices—Dimensional Specifications, pp. 5 and 7.

"Lutron® Residential Lighting Controls Catalog" by Lutron Electronics Co., Inc. of Coopersburg, PA, Oct. 31, 2001, pp. 70-73 and 80-83.

Product literature for "Maestro® Electronic Low-Voltage" Dimmers" by Lutron Electronic Co., Inc. of Coopersburg, PA, Dec. 2001, 2 pages.

\* cited by examiner

Primary Examiner—B. J. Bullock

(74) Attorney, Agent, or Firm—Drinker Biddle & Reath LLP

#### (57)**CLAIM**

The ornamental design for a screwless faceplate, as shown and described.

# **DESCRIPTION**

FIG. 1 is a perspective view of a screwless faceplate showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof, the right side being a mirror image;

FIG. 4 is a bottom plan view thereof, the top being a mirror image;

FIG. 5 is a perspective view of the second embodiment of the design of FIG. 1, the only difference being the lettering on the front below the opening;

FIG. 6 is a front elevational view thereof, the remaining views being identical to those of the first embodiment;


FIG. 7 is a perspective view of the third embodiment of the design of FIG. 1, the only difference being the graphic indicia in the lower left corner of the front;

FIG. 8 is a front elevational view thereof, the remaining views being identical to those of the first embodiment;

FIG. 9 is a perspective view of a fourth embodiment of the design of FIG. 1, the only difference being adaptation for the second opening;

FIG. 10 is a front elevational view thereof;

FIG. 11 is a bottom plan view thereof, the top being a mirror image, the remaining views being identical to those of the first embodiment;



- FIG. 12 is a perspective view of the fifth embodiment of the design of FIG. 1, the only difference being adaptation for the second opening and lettering on the front below the left opening;
- FIG. 13 is a front elevational view thereof, the remaining views being identical to those of the fourth embodiment;
- FIG. 14 is a perspective view of the sixth embodiment of the design of FIG. 1, the only difference being adaptation for the second opening and the graphic indicia in the lower left corner of the front;
- FIG. 15 is a front elevational view thereof, the remaining views being identical to those of the fourth embodiment;
- FIG. 16 is a perspective view of the seventh embodiment of the design of FIG. 1, the only difference being adaptation for the second and third openings;
- FIG. 17 is a front elevational view thereof;
- FIG. 18 is a bottom plan view thereof, the top being a mirror image, the remaining views being identical to those of the first embodiment;
- FIG. 19 is a perspective view of the eighth embodiment of the design of FIG. 1, the only difference being adaptation for the second and third openings and the lettering on the front below the left opening;
- FIG. 20 is a front elevational view thereof, the remaining views being identical to those of the seventh embodiment; FIG. 21 is a perspective view of the ninth embodiment of the design of FIG. 1, the only difference being adaptation for the second and third openings and the graphic indicia in the lower left corner of the front;

- FIG. 22 is a front elevational view thereof, the remaining views being identical to those of the seventh embodiment;
- FIG. 23 is a perspective view of the tenth embodiment of the design of FIG. 1, the only difference being adaptation for the second, third and fourth openings;
- FIG. 24 is a front elevational view thereof;
- FIG. 25 is a bottom plan view thereof, the top being a mirror image, the remaining views being identical to those of the first embodiment;
- FIG. 26 is a perspective view of the eleventh embodiment of the design of FIG. 1, the only difference being adaptation for the second, third and fourth openings and the lettering on the front below the left opening;
- FIG. 27 is a front elevational view thereof, the remaining views being identical to those of the tenth embodiment;
- FIG. 28 is a perspective view of the twelfth embodiment of the design of FIG. 1, the only difference being adaptation for the second, third and fourth opening and the graphic indicia in the lower left corner of the front; and,
- FIG. 29 is a front elevational view thereof, the remaining views being identical to those of the tenth embodiment.

1 Claim, 28 Drawing Sheets




FIG. 1




FIG. 2





FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

U.S. Patent




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15








US D484,392 S










US D484,392 S






























HIG. 26






FIG. 27



