



US00D484422S

(12) **United States Design Patent**
Hnidak

(10) **Patent No.:** **US D484,422 S**

(45) **Date of Patent:** **** Dec. 30, 2003**

(54) **PYRAMID CLOCK**

(75) **Inventor:** **Jacquelyn Cliftene Hnidak**, Amarillo, TX (US)

(73) **Assignee:** **Jacquelyn C. Hnidak**, Amarillo, TX (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/169,067**

(22) **Filed:** **Oct. 15, 2002**

(51) **LOC (7) Cl.** **10-01**

(52) **U.S. Cl.** **D10/21**

(58) **Field of Search** D10/1-40, 122-132;
368/276-277, 285, 316-317

(56) **References Cited**

U.S. PATENT DOCUMENTS

D250,174 S	*	11/1978	Hedgecock	D10/1
4,815,988 A	*	3/1989	Scherer	439/392
4,858,209 A	*	8/1989	Chaut	368/223
D304,161 S	*	10/1989	Nomizu	D10/21
D315,682 S	*	3/1991	Lin	D10/21

D318,622 S * 7/1991 Wada D10/15

D327,223 S * 6/1992 Kawashima et al. D10/15

D345,699 S * 4/1994 Yang D10/21

D364,095 S * 11/1995 Mak D10/21

D365,762 S * 1/1996 Mateer D10/6

* cited by examiner

Primary Examiner—Nelson C. Holtje

(57) **CLAIM**

The ornamental design for a pyramid clock, as shown and described.

DESCRIPTION


FIG. 1 is a front elevation view of the three dimensional geometric pyramid design of my new clock.

FIG. 2 is a top plan view thereof as the indicators would be on the hour respectively at, 12 or 3 or 6 or 9 o'clock. The hands here are now positioned at 12 o'clock.

FIG. 3 is a top plan view with the indicators positioned respectively at, 1:30 or 4:30 or 7:30 or 10:30. The hands here are now positioned at 7:30; and,

FIG. 4 is a top plan view with the indicators positioned so that the hands are at 8:00.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4