



US00D484465S

(12) **United States Design Patent** (10) **Patent No.:** **US D484,465 S**  
**Ventress et al.** (45) **Date of Patent:** **\*\* Dec. 30, 2003**

(54) **OUTDOOR DIAL CONTROLLER**

(75) Inventors: **Jim Ventress**, Santa Ana, CA (US);  
**Arnold Nelson**, Redlands, CA (US);  
**Gregory Boy**, Corona, CA (US)

(73) Assignee: **The Toro Company**, Bloomington, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/154,553**

(22) Filed: **Jan. 25, 2002**

(51) **LOC (7) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/162**

(58) **Field of Search** ..... D10/46, 49, 96;  
D13/123, 158, 162; D23/233, 245; 137/377,  
624.11, 624.18, 80; 239/69, 70; 324/41,  
415, 119, 136, 142

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D247,717 S \* 4/1978 Sturman et al. .... D23/245
- D269,697 S \* 7/1983 Graham et al. .... D23/245
- 4,937,746 A \* 6/1990 Brundisini ..... 364/420
- 5,060,859 A \* 10/1991 Bancroft ..... 239/64
- 5,135,168 A \* 8/1992 Wang ..... 239/70
- D332,416 S \* 1/1993 Craig et al. .... D10/99

- D398,901 S \* 9/1998 Roman ..... D13/123
- D409,566 S \* 5/1999 Roman ..... D13/123
- 5,921,280 A \* 7/1999 Ericksen et al. .... 137/624.11
- 6,240,325 B1 \* 5/2001 Brundisini ..... 700/19
- 6,402,049 B1 \* 6/2002 Youngs, Jr. .... 239/70

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

*Assistant Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Stout, Uxa, Buyan & Mullins, LLP



(57) **CLAIM**


The ornamental design for an outdoor dial controller, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation of an outdoor dial controller showing our new design; FIG. 2 is a left side elevation of the controller of FIG. 1; FIG. 3 is a rear elevation of the controller of FIG. 1; FIG. 4 is a right side elevation of the controller of FIG. 1; FIG. 5 is a top plan view of the controller of FIG. 1; FIG. 6 is a perspective view of the controller of FIG. 1 in a partially opened configuration; and, FIG. 7 is a front view of the controller of FIG. 1 in a substantially opened configuration.

**1 Claim, 6 Drawing Sheets**





*FIG. 1*




FIG. 2




FIG. 4





FIG. 3



*FIG. 5*




FIG. 6




FIG. 7